

**POLY
CONN**

Master **WAIR**house®
Fluid Power Products



Polypropylene & Nylon Barb Fittings



Version 2020
Revised 01/2020
Email your order to: sales@polyconn.com or fax to (763) 398-2590 · www.polyconn.com · Questions call: (763)559-0388
3062 Ranchview Lane North · Plymouth, MN 55447

Features and Specifications for Polypropylene Barb Fittings

Polypropylene fittings are generally acceptable for working pressures up to 150 PSI at normal room temperatures. At higher temperatures, the recommended working pressure decreases. For example, at 140°F the maximum recommended working pressure is 90 PSI.

Polypropylene has good resistance to most agricultural chemicals, acid-based fertilizers, ammonium compounds, calcium carbonate, DDT, ethanol, hydrochloric acid, magnesium sulfate, oxalic acid, propionic acid, phosphoric acid, and sodium compounds.

Polypropylene should not be used with aromatic hydrocarbons, carbon tetrachloride, gasoline, hexane, kerosene, nitric acid, sodium hypochlorite, toluene, trichloroethylene, or xylene.

Not to be used with compressed gases.

SPECIFICATIONS

Product	Operating Pressure (PSI)	Limitation
Polypropylene Pipe Fitting	150 PSI @ Room Temperature 90 PSI @ 140°F	Do not use with compressed gas.

MALE HOSE BARB



Part #	ID	NPT M	List Price	QTY	Pkg. Price
PC125PPH-32	3/16"	1/8"	\$ 0.42	5	\$ 2.10
PC125PPH-34	3/16"	1/4"	\$ 0.42	5	\$ 2.10
PC125PPH-42	1/4"	1/8"	\$ 0.42	5	\$ 2.10
PC125PPH-44	1/4"	1/4"	\$ 0.42	5	\$ 2.10
PC125PPH-46	1/4"	3/8"	\$ 0.43	5	\$ 2.15
PC125PPH-48	1/4"	1/2"	\$ 0.46	5	\$ 2.30
PC125PPH-412	1/4"	3/4"	\$ 0.60	5	\$ 3.00
PC125PPH-52	5/16"	1/8"	\$ 0.42	5	\$ 2.10
PC125PPH-54	5/16"	1/4"	\$ 0.42	5	\$ 2.10
PC125PPH-56	5/16"	3/8"	\$ 0.46	5	\$ 2.30
PC125PPH-62	3/8"	1/8"	\$ 0.42	5	\$ 2.10
PC125PPH-64	3/8"	1/4"	\$ 0.41	5	\$ 2.05
PC125PPH-66	3/8"	3/8"	\$ 0.45	5	\$ 2.25
PC125PPH-68	3/8"	1/2"	\$ 0.50	5	\$ 2.50
PC125PPH-612	3/8"	3/4"	\$ 0.59	5	\$ 2.95
PC125PPH-616	3/8"	1"	\$ 0.90	5	\$ 4.50
PC125PPH-84	1/2"	1/4"	\$ 0.43	5	\$ 2.15
PC125PPH-86	1/2"	3/8"	\$ 0.47	5	\$ 2.35
PC125PPH-88	1/2"	1/2"	\$ 0.47	5	\$ 2.35
PC125PPH-812	1/2"	3/4"	\$ 0.35	5	\$ 1.75
PC125PPH-816	1/2"	1"	\$ 1.22	5	\$ 6.10
PC125PPH-104	5/8"	1/4"	\$ 1.99	5	\$ 9.95
PC125PPH-106	5/8"	3/8"	\$ 0.46	5	\$ 2.30
PC125PPH-108	5/8"	1/2"	\$ 0.49	5	\$ 2.45
PC125PPH-1012	5/8"	3/4"	\$ 0.60	5	\$ 3.00

MALE HOSE BARB Continued

Part #	ID	NPT M	List Price	QTY	Pkg. Price
PC125PPH-126	3/4"	3/8"	\$ 1.07	5	\$ 5.35
PC125PPH-128	3/4"	1/2"	\$ 0.50	5	\$ 2.50
PC125PPH-1212	3/4"	3/4"	\$ 0.62	5	\$ 3.10
PC125PPH-1216	3/4"	1"	\$ 1.15	5	\$ 5.75
PC125PPH-1220	3/4"	1-1/4"	\$ 1.87	5	\$ 9.35
PC125PPH-1224	3/4"	1-1/2"	\$ 2.97	5	\$ 14.85
PC125PPH-168	1"	1/2"	\$ 1.74	5	\$ 8.70
PC125PPH-1612	1"	3/4"	\$ 0.91	5	\$ 4.55
PC125PPH-1616	1"	1"	\$ 1.29	5	\$ 6.45
PC125PPH-1620	1"	1-1/4"	\$ 1.80	5	\$ 9.00
PC125PPH-1624	1"	1-1/2"	\$ 3.10	5	\$ 15.50
PC125PPH-2012	1-1/4"	3/4"	\$ 2.71	5	\$ 13.55
PC125PPH-2016	1-1/4"	1"	\$ 1.52	5	\$ 7.60
PC125PPH-2020	1-1/4"	1-1/4"	\$ 2.02	5	\$ 10.10
PC125PPH-2024	1-1/4"	1-1/2"	\$ 2.11	5	\$ 10.55
PC125PPH-2420	1-1/2"	1-1/4"	\$ 2.13	5	\$ 10.65
PC125PPH-2424	1-1/2"	1-1/2"	\$ 2.36	5	\$ 11.80
PC125PPH-2432	1-1/2"	2"	\$ 7.33	5	\$ 36.65
PC125PPH-3224	2"	1-1/2"	\$ 8.77	5	\$ 43.85
PC125PPH-3232	2"	2"	\$ 3.85	5	\$ 19.25
PC125PPH-4848	3"	3"	\$ 18.79	5	\$ 93.95
PC125PPH-6464	4"	4"	\$ 47.29	5	\$ 236.45

FEMALE HOSE BARB



Part #	ID	NPT F	List Price	QTY	Pkg. Price
PC126PPH-42	1/4"	1/8"	\$ 2.05	5	\$ 10.25
PC126PPH-44	1/4"	1/4"	\$ 2.06	5	\$ 10.30
PC126PPH-46	1/4"	3/8"	\$ 2.11	5	\$ 10.55
PC126PPH-48	1/4"	1/2"	\$ 2.12	5	\$ 10.60
PC126PPH-412	1/4"	3/4"	\$ 2.49	5	\$ 12.45
PC126PPH-62	3/8"	1/8"	\$ 2.05	5	\$ 10.25
PC126PPH-64	3/8"	1/4"	\$ 2.06	5	\$ 10.30
PC126PPH-66	3/8"	3/8"	\$ 2.06	5	\$ 10.30
PC126PPH-68	3/8"	1/2"	\$ 2.14	5	\$ 10.70
PC126PPH-612	3/8"	3/4"	\$ 2.49	5	\$ 12.45
PC126PPH-84	1/2"	1/4"	\$ 2.04	5	\$ 10.20
PC126PPH-86	1/2"	3/8"	\$ 2.06	5	\$ 10.30
PC126PPH-88	1/2"	1/2"	\$ 1.60	5	\$ 8.00
PC126PPH-812	1/2"	3/4"	\$ 2.48	5	\$ 12.40
PC126PPH-106	5/8"	3/8"	\$ 2.11	5	\$ 10.55
PC126PPH-108	5/8"	1/2"	\$ 2.15	5	\$ 10.75
PC126PPH-1012	5/8"	3/4"	\$ 2.27	5	\$ 11.35
PC126PPH-126	3/4"	3/8"	\$ 2.16	5	\$ 10.80
PC126PPH-128	3/4"	1/2"	\$ 2.14	5	\$ 10.70
PC126PPH-1212	3/4"	3/4"	\$ 2.29	5	\$ 11.45
PC126PPH-1612	1"	3/4"	\$ 4.64	5	\$ 23.20
PC126PPH-1616	1"	1"	\$ 3.94	5	\$ 19.70

90° MALE ELBOW HOSE BARB



Part #	ID	NPT M	List Price	QTY	Pkg. Price
PC127PPH-34	3/16"	1/4"	\$ 0.76	5	\$ 3.80
PC127PPH-42	1/4"	1/8"	\$ 0.72	5	\$ 3.60
PC127PPH-44	1/4"	1/4"	\$ 0.75	5	\$ 3.75
PC127PPH-46	1/4"	3/8"	\$ 0.76	5	\$ 3.80
PC127PPH-48	1/4"	1/2"	\$ 0.85	5	\$ 4.25
PC127PPH-412	1/4"	3/4"	\$ 0.94	5	\$ 4.70
PC127PPH-54	5/16"	1/4"	\$ 0.79	5	\$ 3.95
PC127PPH-56	5/16"	3/8"	\$ 0.86	5	\$ 4.30
PC127PPH-62	3/8"	1/8"	\$ 0.74	5	\$ 3.70
PC127PPH-64	3/8"	1/4"	\$ 0.76	5	\$ 3.80
PC127PPH-66	3/8"	3/8"	\$ 0.84	5	\$ 4.20
PC127PPH-68	3/8"	1/2"	\$ 0.83	5	\$ 4.15
PC127PPH-612	3/8"	3/4"	\$ 1.10	5	\$ 5.50
PC127PPH-84	1/2"	1/4"	\$ 0.77	5	\$ 3.85
PC127PPH-86	1/2"	3/8"	\$ 0.80	5	\$ 4.00
PC127PPH-88	1/2"	1/2"	\$ 0.83	5	\$ 4.15
PC127PPH-812	1/2"	3/4"	\$ 1.09	5	\$ 5.45
PC127PPH-816	1/2"	1"	\$ 1.64	5	\$ 8.20
PC127PPH-104	5/8"	1/4"	\$ 1.36	5	\$ 6.80
PC127PPH-106	5/8"	3/8"	\$ 0.88	5	\$ 4.40
PC127PPH-108	5/8"	1/2"	\$ 1.04	5	\$ 5.20
PC127PPH-1012	5/8"	3/4"	\$ 1.15	5	\$ 5.75
PC127PPH-1016	5/8"	1"	\$ 1.73	5	\$ 8.65
PC127PPH-128	3/4"	1/2"	\$ 1.08	5	\$ 5.40
PC127PPH-1212	3/4"	3/4"	\$ 1.15	5	\$ 5.75
PC127PPH-1216	3/4"	1"	\$ 1.44	5	\$ 7.20
PC127PPH-1220	3/4"	1-1/4"	\$ 2.68	5	\$ 13.40
PC127PPH-1224	3/4"	1-1/2"	\$ 3.01	5	\$ 15.05
PC127PPH-168	1"	1/2"	\$ 1.78	5	\$ 8.90
PC127PPH-1612	1"	3/4"	\$ 1.29	5	\$ 6.45
PC127PPH-1616	1"	1"	\$ 1.43	5	\$ 7.15
PC127PPH-1620	1"	1-1/4"	\$ 2.68	5	\$ 13.40
PC127PPH-1624	1"	1-1/2"	\$ 3.01	5	\$ 15.05
PC127PPH-2016	1-1/4"	1"	\$ 4.50	5	\$ 22.50
PC127PPH-2020	1-1/4"	1-1/4"	\$ 2.79	5	\$ 13.95
PC127PPH-2024	1-1/4"	1-1/2"	\$ 3.01	5	\$ 15.05
PC127PPH-2420	1-1/2"	1-1/4"	\$ 2.91	5	\$ 14.55
PC127PPH-2424	1-1/2"	1-1/2"	\$ 3.95	5	\$ 19.75
PC127PPH-2432	1-1/2"	2"	\$ 14.15	5	\$ 70.75
PC127PPH-3232	2"	2"	\$ 5.29	5	\$ 26.45
PC127PPH-3232	3"	3"	\$ 57.08	5	\$ 285.40

HOSE MENDER



Part #	ID	List Price	QTY	Pkg. Price
PC138PPH-4	1/4"	\$ 0.43	5	\$ 2.15
PC138PPH-5	5/16"	\$ 0.40	5	\$ 2.00
PC138PPH-6	3/8"	\$ 0.47	5	\$ 2.35
PC138PPH-8	1/2"	\$ 0.49	5	\$ 2.45
PC138PPH-10	5/8"	\$ 0.54	5	\$ 2.70
PC138PPH-12	3/4"	\$ 0.68	5	\$ 3.40
PC138PPH-16	1"	\$ 0.90	5	\$ 4.50
PC138PPH-20	1-1/4"	\$ 2.15	5	\$ 10.75
PC138PPH-24	1-1/2"	\$ 2.36	5	\$ 11.80
PC138PPH-32	2"	\$ 7.19	5	\$ 35.95
PC138PPH-48	3"	\$ 22.46	5	\$ 112.30

Features and Specifications for Nylon Barb Fittings

Nylon fittings are generally acceptable for working pressures up to 150 PSI at normal room temperatures. At very low pressures, temperatures can approach 175°F with no degradation of the fitting's strength.

Nylon has good resistance to a fairly broad range of chemicals including most agricultural chemicals, ammonium compounds, detergents, diesel fuel, ethanol, gasoline, hexane, magnesium sulfate, most sodium compounds, trichloroethylene, and zinc sulfate.

Nylon fittings should not be used with acid based fertilizers, bromine, chlorine, fluorine, hydrochloric acid, sulfuric acid, or xylene.

Not to be used with compressed gases.

SPECIFICATIONS

Product	Operating Pressure (PSI)	Limitation
Nylon Pipe Fitting	150 PSI	Do not use with compressed gas.

MALE HOSE BARB



Part #	ID	NPT M	List Price	QTY	Pkg. Price
PC125NYH-32	3/16"	1/8"	\$ 0.49	5	\$ 2.45
PC125NYH-34	3/16"	1/4"	\$ 0.50	5	\$ 2.50
PC125NYH-42	1/4"	1/8"	\$ 0.49	5	\$ 2.45
PC125NYH-44	1/4"	1/4"	\$ 0.46	5	\$ 2.30
PC125NYH-46	1/4"	3/8"	\$ 0.48	5	\$ 2.40
PC125NYH-48	1/4"	1/2"	\$ 0.50	5	\$ 2.50
PC125NYH-412	1/4"	3/4"	\$ 0.62	5	\$ 3.10
PC125NYH-52	5/16"	1/8"	\$ 0.45	5	\$ 2.25
PC125NYH-54	5/16"	1/4"	\$ 0.50	5	\$ 2.50
PC125NYH-56	5/16"	3/8"	\$ 0.60	5	\$ 3.00
PC125NYH-62	3/8"	1/8"	\$ 0.49	5	\$ 2.45
PC125NYH-64	3/8"	1/4"	\$ 0.51	5	\$ 2.55
PC125NYH-66	3/8"	3/8"	\$ 0.48	5	\$ 2.40
PC125NYH-68	3/8"	1/2"	\$ 0.60	5	\$ 3.00
PC125NYH-612	3/8"	3/4"	\$ 0.63	5	\$ 3.15
PC125NYH-616	3/8"	1"	\$ 1.27	5	\$ 6.35
PC125NYH-84	1/2"	1/4"	\$ 0.51	5	\$ 2.55
PC125NYH-86	1/2"	3/8"	\$ 0.49	5	\$ 2.45
PC125NYH-88	1/2"	1/2"	\$ 0.65	5	\$ 3.25
PC125NYH-812	1/2"	3/4"	\$ 0.66	5	\$ 3.30
PC125NYH-816	1/2"	1"	\$ 1.21	5	\$ 6.05
PC125NYH-104	5/8"	1/4"	\$ 1.36	5	\$ 6.80
PC125NYH-106	5/8"	3/8"	\$ 0.48	5	\$ 2.40
PC125NYH-108	5/8"	1/2"	\$ 0.56	5	\$ 2.80
PC125NYH-1012	5/8"	3/4"	\$ 0.67	5	\$ 3.35

MALE HOSE BARB Continued

Part #	ID	NPT M	List Price	QTY	Pkg. Price
PC125NYH-126	3/4"	3/8"	\$ 0.93	5	\$ 4.65
PC125NYH-128	3/4"	1/2"	\$ 0.63	5	\$ 3.15
PC125NYH-1212	3/4"	3/4"	\$ 0.77	5	\$ 3.85
PC125NYH-1216	3/4"	1"	\$ 1.24	5	\$ 6.20
PC125NYH-1220	3/4"	1-1/4"	\$ 2.01	5	\$ 10.05
PC125NYH-1224	3/4"	1-1/2"	\$ 3.56	5	\$ 17.80
PC125NYH-168	1"	1/2"	\$ 1.54	5	\$ 7.70
PC125NYH-1612	1"	3/4"	\$ 1.04	5	\$ 5.20
PC125NYH-1616	1"	1"	\$ 1.51	5	\$ 7.55
PC125NYH-1620	1"	1-1/4"	\$ 2.15	5	\$ 10.75
PC125NYH-1624	1"	1-1/2"	\$ 3.56	5	\$ 17.80
PC125NYH-2012	1-1/4"	3/4"	\$ 2.45	5	\$ 12.25
PC125NYH-2016	1-1/4"	1"	\$ 1.71	5	\$ 8.55
PC125NYH-2020	1-1/4"	1-1/4"	\$ 2.18	5	\$ 10.90
PC125NYH-2024	1-1/4"	1-1/2"	\$ 2.15	5	\$ 10.75
PC125NYH-2420	1-1/2"	1-1/4"	\$ 2.37	5	\$ 11.85
PC125NYH-2424	1-1/2"	1-1/2"	\$ 2.62	5	\$ 13.10
PC125NYH-2432	1-1/2"	2"	\$ 8.78	5	\$ 43.90
PC125NYH-3224	2"	1-1/2"	\$ 10.19	5	\$ 50.95
PC125NYH-3232	2"	2"	\$ 4.45	5	\$ 22.25

FEMALE HOSE BARB



Part #	ID	NPT F	List Price	QTY	Pkg. Price
PC126NYH-42	1/4"	1/8"	\$ 2.14	5	\$ 10.70
PC126NYH-44	1/4"	1/4"	\$ 2.14	5	\$ 10.70
PC126NYH-46	1/4"	3/8"	\$ 2.10	5	\$ 10.50
PC126NYH-48	1/4"	1/2"	\$ 2.14	5	\$ 10.70
PC126NYH-412	1/4"	3/4"	\$ 2.79	5	\$ 13.95
PC126NYH-62	3/8"	1/8"	\$ 2.14	5	\$ 10.70
PC126NYH-64	3/8"	1/4"	\$ 2.10	5	\$ 10.50
PC126NYH-66	3/8"	3/8"	\$ 2.10	5	\$ 10.50
PC126NYH-68	3/8"	1/2"	\$ 2.20	5	\$ 11.00
PC126NYH-612	3/8"	3/4"	\$ 2.78	5	\$ 13.90
PC126NYH-84	1/2"	1/4"	\$ 2.08	5	\$ 10.40
PC126NYH-86	1/2"	3/8"	\$ 2.11	5	\$ 10.55
PC126NYH-88	1/2"	1/2"	\$ 1.51	5	\$ 7.55
PC126NYH-812	1/2"	3/4"	\$ 2.73	5	\$ 13.65
PC126NYH-106	5/8"	3/8"	\$ 2.27	5	\$ 11.35
PC126NYH-108	5/8"	1/2"	\$ 2.20	5	\$ 11.00
PC126NYH-1012	5/8"	3/4"	\$ 2.50	5	\$ 12.50
PC126NYH-126	3/4"	3/8"	\$ 2.44	5	\$ 12.20
PC126NYH-128	3/4"	1/2"	\$ 2.20	5	\$ 11.00
PC126NYH-1212	3/4"	3/4"	\$ 2.63	5	\$ 13.15

90° MALE ELBOW HOSE BARB



Part #	ID	NPT M	List Price	QTY	Pkg. Price
PC127NYH-32	3/16"	1/8"	\$ 0.91	5	\$ 4.55
PC127NYH-34	3/16"	1/4"	\$ 0.90	5	\$ 4.50
PC127NYH-42	1/4"	1/8"	\$ 0.91	5	\$ 4.55
PC127NYH-44	1/4"	1/4"	\$ 0.79	5	\$ 3.95
PC127NYH-46	1/4"	3/8"	\$ 0.87	5	\$ 4.35
PC127NYH-48	1/4"	1/2"	\$ 0.91	5	\$ 4.55
PC127NYH-412	1/4"	3/4"	\$ 1.06	5	\$ 5.30
PC127NYH-52	5/16"	1/8"	\$ 0.93	5	\$ 4.65
PC127NYH-54	5/16"	1/4"	\$ 0.98	5	\$ 4.90
PC127NYH-56	5/16"	3/8"	\$ 1.00	5	\$ 5.00
PC127NYH-62	3/8"	1/8"	\$ 0.93	5	\$ 4.65
PC127NYH-64	3/8"	1/4"	\$ 0.92	5	\$ 4.60
PC127NYH-66	3/8"	3/8"	\$ 1.00	5	\$ 5.00
PC127NYH-68	3/8"	1/2"	\$ 0.92	5	\$ 4.60
PC127NYH-612	3/8"	3/4"	\$ 1.10	5	\$ 5.50
PC127NYH-84	1/2"	1/4"	\$ 0.86	5	\$ 4.30
PC127NYH-86	1/2"	3/8"	\$ 0.88	5	\$ 4.40
PC127NYH-88	1/2"	1/2"	\$ 0.90	5	\$ 4.50
PC127NYH-812	1/2"	3/4"	\$ 1.14	5	\$ 5.70
PC127NYH-816	1/2"	1"	\$ 1.69	5	\$ 8.45
PC127NYH-104	5/8"	1/4"	\$ 1.33	5	\$ 6.65
PC127NYH-106	5/8"	3/8"	\$ 0.90	5	\$ 4.50
PC127NYH-108	5/8"	1/2"	\$ 1.07	5	\$ 5.35
PC127NYH-1012	5/8"	3/4"	\$ 1.16	5	\$ 5.80
PC127NYH-1016	5/8"	1"	\$ 1.72	5	\$ 8.60
PC127NYH-128	3/4"	1/2"	\$ 1.14	5	\$ 5.70
PC127NYH-1212	3/4"	3/4"	\$ 1.20	5	\$ 6.00
PC127NYH-1216	3/4"	1"	\$ 1.50	5	\$ 7.50
PC127NYH-1220	3/4"	1-1/4"	\$ 2.68	5	\$ 13.40
PC127NYH-1224	3/4"	1-1/2"	\$ 3.13	5	\$ 15.65
PC127NYH-168	1"	1/2"	\$ 1.64	5	\$ 8.20
PC127NYH-1612	1"	3/4"	\$ 1.30	5	\$ 6.50
PC127NYH-1616	1"	1"	\$ 1.50	5	\$ 7.50
PC127NYH-1620	1"	1-1/4"	\$ 2.94	5	\$ 14.70
PC127NYH-1624	1"	1-1/2"	\$ 3.13	5	\$ 15.65
PC127NYH-2020	1-1/4"	1-1/4"	\$ 3.11	5	\$ 15.55
PC127NYH-2024	1-1/4"	1-1/2"	\$ 3.35	5	\$ 16.75
PC127NYH-2420	1-1/2"	1-1/4"	\$ 3.13	5	\$ 15.65
PC127NYH-2424	1-1/2"	1-1/2"	\$ 5.13	5	\$ 25.65
PC127NYH-3232	2"	2"	\$ 6.45	5	\$ 32.25

HOSE MENDER



Part #	ID	List Price	QTY	Pkg. Price
PC138NYH-2	1/8"	\$ 0.43	5	\$ 2.15
PC138NYH-3	3/16"	\$ 0.46	5	\$ 2.30
PC138NYH-4	1/4"	\$ 0.46	5	\$ 2.30
PC138NYH-5	5/16"	\$ 0.46	5	\$ 2.30
PC138NYH-6	3/8"	\$ 0.49	5	\$ 2.45
PC138NYH-8	1/2"	\$ 0.51	5	\$ 2.55
PC138NYH-10	5/8"	\$ 0.58	5	\$ 2.90
PC138NYH-12	3/4"	\$ 0.81	5	\$ 4.05
PC138NYH-16	1"	\$ 1.02	5	\$ 5.10
PC138NYH-20	1-1/4"	\$ 1.97	5	\$ 9.85
PC138NYH-24	1-1/2"	\$ 2.93	5	\$ 14.65
PC138NYH-32	2"	\$ 8.38	5	\$ 41.90

Hose Material:

PV = Vinyl, PU = Polyurethane, PY = Low Density Polyethylene,
 HPY = High Density Polyethylene, N = Flexible Nylon II,
 UN = Unplasticized Nylon II, PP = Polypropylene

Compatibility Code:

G = Good. Little or no swelling, tensile, or surface change.
 L = Marginal. Noticeable effects but not necessarily indicating lack of serviceability. Further testing recommended in specific application.
 P = Poor or unsatisfactory. Not recommended without extensive testing.
 NT = Not tested or not rated.

Ratings based on immersion tests at 73°F and should not be extrapolated to higher temperatures without appropriate caution.

Chemical	PV	PU	PY	HPY	N	UN	PP
ACIDS & BASES:							
Acetic, 50%	G	P	P	G	L	L	G
Boric	G	G	G	G	G	G	G
Carbolic (Phenol)	P	P	G	G	P	P	G
Fatty	G	G	P	G	G	G	G
Formic, 90%	G	P	G	G	P	P	G
Hydrochloric, 10%	G	G	G	G	L	L	G
Hydrochloric, 25%	G	L	G	G	P	P	G
Hydrocyanic, 50%	G	L	G	G	NT	NT	G
Hydrofluoric, 50%	L	P	G	G	P	P	G
Maleic	G	P	G	G	G	G	G
Nitric, 10%	G	P	G	G	L	L	G
Nitric, 30%	G	P	G	G	P	P	L
Oleic	L	G	L	G	G	G	G
Phosphoric, 25%	G	L	G	G	G	G	G
Sulfuric, 30%	G	L	G	G	L	L	G
Sulfuric, 70%	L	P	P	G	P	P	G
Sulfuric, 98%	P	P	P	L	P	P	G
Sulfurous, 30%	G	P	G	G	L	L	G
Tannic	G	P	G	G	G	G	G
Ammonium Hydroxide, 25%	P	G	L	G	G	G	G
Potassium Hydroxide, 25%	L	G	G	G	G	G	G
Sodium Hydroxide, 50%	G	G	G	G	G	G	G
SOLVENTS:							
Acetone	P	P	G	G	G	G	L
Benzene	P	L	P	L	G	G	P
Carbon Tetrachloride	P	L	L	L	L	L	P
Chloroform	P	P	P	P	L	L	P
Cyclohexanone	P	P	P	G	G	G	L
Dimethylformamide	P	P	L	G	NT	NT	G
Dioxane	NT	NT	P	G	G	G	L
Ethyl acetate	P	L	G	G	G	G	L
Ethyl Alcohol**	L	G	G	G	L	G	G
Ethyl ether	L	L	G	G	G	G	L
Ethylene glycol	G	G	G	G	G	G	G
Formaldehyde	G	G	G	G	G	G	G
Freon - 12	L	L	G	G	G	G	L
Methyl alcohol	L	G	G	G	L	G	G
Methylene chloride	P	P	L	L	G	G	L
Methyl ethyl ketone	P	P	G	G	G	G	L
Napthas***	P	G	P	G	G	G	L
Toluene	P	G	P	L	G	G	L
Trichlorethylene	P	P	P	G	L	L	P
Turpentine	G	G	P	G	G	G	L
Xylene	P	G	P	L	G	G	L
HYDRAULIC FLUIDS:							
Diester base grease	NT	G	P	NT	G	G	L
Petroleum base grease	G	G	L	NT	G	G	L
Phosphate ester	L	P	P	NT	G	G	G
Polyol ester	P	NT	P	NT	G	G	G
Water-glycol	G	G	G	NT	G	G	G
SAE motor oils	G	G	G	G	G	G	G
Machine oil	G	G	L	G	G	G	L
MIL-L7808 H	G	G	L	G	G	G	G
Brake fluid	NT	NT	NT	NT	NT	NT	NT

Chemical	PV	PU	PY	HPY	N	UN	PP
FUELS:							
Butane**	G	G	L	G	G	G	L
Diesel Fuel	L	G	L	G	G	G	L
Gasoline (Regular)	L	G	P	G	G	G	L
Kerosene	L	G	P	G	G	G	G
Methane (natural gas)**	G	G	L	G	G	G	G
Propane**	G	G	L	G	G	G	L
OTHER:							
Acetylene	NT	G	G	G	G	G	G
Ammonia Gas	P	G	G	G	G	G	G
Ammonium Salts	G	G	G	G	G	G	G
Amyl acetate	P	P	L	G	G	G	P
Aniline	P	P	L	G	L	L	G
Animal Oils	G	G	P	G	G	G	G
Bleach, 7%	G	P	G	G	L	L	L
Bromine	L	G	P	P	P	P	P
Butandiol	G	G	G	G	G	G	G
Calcium Salts incl chloride	G	G	G	G	G	G	G
Chlorine Gas, Dry	G	G	P	P	P	P	P
Dibutyl Phthalate	NT	P	L	G	G	G	L
Glucose	G	G	G	G	G	G	G
Glycerine	G	G	G	G	G	G	G
Hydrogen Peroxide, 10%	G	G	G	G	G	G	G
Hydrogen Peroxide, 25%	L	G	G	G	P	P	G
Hydrogen Sulfide	G	P	G	G	L	L	G
Isocyanates	NT	G	G	G	G	G	NT
Lead Salts****	G	G	G	G	G	G	G
Magnesium Salts	G	G	G	G	G	G	G
Mercury	G	G	G	G	G	G	G
Milk**	G	G	G	G	G	G	G
Mineral Oil	G	G	L	G	G	G	L
Nitrous Oxide**	G	G	L	NT	G	G	G
Oxygen**	G	G	G	G	G	G	G
Ozone, ambient	G	G	L	G	G	G	L
Paint (oil base)	L	G	L	G	G	G	G
Polyglycols	G	G	G	G	G	G	G
Potassium salts	G	G	G	G	G	G	G
Pydraul	P	P	P	NT	G	G	NT
Pyridine	P	L	G	G	L	L	G
Salt Water	G	G	G	G	G	G	G
Silver Nitrate	G	G	G	G	G	G	G
Skydrol	P	P	P	NT	G	G	NT
Soap solution (conc)	G	G	L	G	G	G	G
Sodium salts	G	G	G	G	G	G	G
Sodium thiosulphate	G	G	G	G	G	G	G
Styrene	P	G	P	P	G	G	NT
Trisodium phosphate	G	G	NT	G	G	G	G
Ucon oil	G	G	G	G	G	G	NT
Urea	G	G	G	G	G	G	G
Vegetable oils***	G	G	G	G	G	G	G
Water at 73°F	G	G	G	G	G	G	G
Water at 140°F	L	G	G	G	G	G	G
Water at 170°F	P	L	NT	P	L	G	G
Whiskey, wine	NT	G	G	G	G	G	G
Zinc chloride	G	G	G	G	G	G	G

*This chart is intended as a guide to chemical compatibility. Final selection also depends upon pressure, fluid and ambient temperatures and other variables that affect tubing service. Therefore, no guarantee is expressed or implied.

**These ratings do not necessarily imply compliance with specialized codes such as NSF, FDA, AGA or UL.

*** Napthas include heptane, hexane, mineral spirits, rubber solvent and Stoddard solvent.

****Metallic salts exclude some halogenated metals, especially hypochlorites.

Now that you have your
Fittings don't forget
your tubing!



Polyconn offers Push-In
fittings in many different
materials!



Polyconn carries Polyurethane,
Nylon, Polyethylene and many
more materials to choose from!

Available Materials:
Composite
Plastic
Nickel Plated Brass
Stainless Steel
D.O.T. Brass

Polyconn[®] the one-stop shop for your
pneumatic needs.