

POLY[®] CONN

Master W*AIR*house[®]
Fluid Power Products

POLYPROPYLENE & NYLON PIPE FITTINGS

EMAIL

sales@polyconn.com

WEBSITE

www.polyconn.com

QUESTIONS

(763)559-0388



Features and Specifications for Polypropylene Pipe Fittings

Polypropylene fittings are generally acceptable for working pressures up to 150 PSI at normal room temperatures. At higher temperatures, the recommended working pressure decreases. For example, at 140°F the maximum recommended working pressure is 90 PSI. Polypropylene has good resistance to most agricultural chemicals, acid-based fertilizers, ammonium compounds, calcium carbonate, DDT, ethanol, hydrochloric acid, magnesium sulfate, oxalic acid, propionic acid, phosphoric acid, and sodium compounds. Polypropylene should not be used with aromatic hydrocarbons, carbon tetrachloride, gasoline, hexane, kerosene, nitric acid, sodium hypochlorite, toluene, trichloroethylene, or xylene. Not to be used with compressed gases.

SPECIFICATIONS

PRODUCT	OPERATING PRESSURE RANG		LIMITATION
Polypropylene Pipe Fittings	150 PSI @ Room Temperature	90 PSI @ 140°F	Do not use with compressed gas

FEMALE 90° ELBOW



Part #	NPT F	List Price	QTY	Pkg Price
PC100PP-6	3/8"	\$ 7.98	25	\$ 199.50
PC100PP-8	1/2"	\$ 5.20	25	\$ 130.00
PC100PP-12	3/4"	\$ 4.92	25	\$ 123.00
PC100PP-16	1"	\$ 7.69	25	\$ 192.25
PC100PP-20	1-1/4"	\$ 11.44	25	\$ 286.00
PC100PP-24	1-1/2"	\$ 17.93	25	\$ 448.25
PC100PP-32	2"	\$ 17.78	25	\$ 444.50
PC100PP-32	2"	\$ 90.55	25	\$ 2,263.75

CROSS



Part #	NPT F	List Price	QTY	Pkg Price
PC102PP-4	1/4"	\$ 21.59	25	\$ 539.75
PC102PP-6	3/8"	\$ 23.63	25	\$ 590.75
PC102PP-8	1/2"	\$ 36.52	25	\$ 913.00
PC102PP-12	3/4"	\$ 36.52	25	\$ 913.00
PC102PP-16	1"	\$ 36.52	25	\$ 913.00
PC102PP-20	1-1/4"	\$ 54.38	25	\$ 1,359.50
PC102PP-24	1-1/2"	\$ 54.38	25	\$ 1,359.50
PC102PP-32	2"	\$ 55.48	25	\$ 1,387.00

FEMALE TEE



Part #	NPT F	List Price	QTY	Pkg Price
PC101PP-4	1/4"	\$ 4.19	25	\$ 104.75
PC101PP-6	3/8"	\$ 7.93	25	\$ 198.25
PC101PP-8	1/2"	\$ 4.07	25	\$ 101.75
PC101PP-12	3/4"	\$ 5.87	25	\$ 146.75
PC101PP-16	1"	\$ 10.74	25	\$ 268.50
PC101PP-20	1-1/4"	\$ 14.91	25	\$ 372.75
PC101PP-24	1-1/2"	\$ 22.10	25	\$ 552.50
PC101PP-32	2"	\$ 22.15	25	\$ 553.75
PC101PP-48	3"	\$ 105.67	25	\$ 2,641.75

FEMALE COUPLING



Part #	NPT F	List Price	QTY	Pkg Price
PC103PP-2	1/8"	\$ 4.43	25	\$ 110.70
PC103PP-4	1/4"	\$ 4.36	25	\$ 109.00
PC103PP-6	3/8"	\$ 4.36	25	\$ 109.00
PC103PP-8	1/2"	\$ 4.44	25	\$ 111.00
PC103PP-12	3/4"	\$ 4.43	25	\$ 110.70
PC103PP-16	1"	\$ 10.04	25	\$ 251.00
PC103PP-20	1-1/4"	\$ 10.51	25	\$ 262.75
PC103PP-24	1-1/2"	\$ 5.08	25	\$ 127.00
PC103PP-32	2"	\$ 6.04	25	\$ 151.00
PC103PP-48	3"	\$ 52.83	25	\$ 1,320.75

CAP



Part #	NPT F	List Price	QTY	Pkg Price
PC108PP-4	1/4"	\$ 0.47	25	\$ 11.75
PC108PP-6	3/8"	\$ 0.59	25	\$ 14.75
PC108PP-8	1/2"	\$ 0.67	25	\$ 16.75
PC108PP-12	3/4"	\$ 0.74	25	\$ 18.50

HEX BUSHING



Part #	NPT M	NPT F	List Price	QTY	Pkg. Price
PC110PP-42	1/4"	1/8"	\$ 1.16	25	\$ 29.00
PC110PP-62	3/8"	1/8"	\$ 2.23	25	\$ 55.75
PC110PP-64	3/8"	1/4"	\$ 1.36	25	\$ 34.00
PC110PP-82	1/2"	1/8"	\$ 1.97	25	\$ 49.25
PC110PP-84	1/2"	1/4"	\$ 1.56	25	\$ 39.00
PC110PP-86	1/2"	3/8"	\$ 1.40	25	\$ 35.00
PC110PP-122	3/4"	1/8"	\$ 1.93	25	\$ 48.25
PC110PP-124	3/4"	1/4"	\$ 1.71	25	\$ 42.75
PC110PP-126	3/4"	3/8"	\$ 1.71	25	\$ 42.75
PC110PP-128	3/4"	1/2"	\$ 1.71	25	\$ 42.75
PC110PP-166	1"	3/8"	\$ 2.71	25	\$ 54.25
PC110PP-168	1"	1/2"	\$ 2.05	25	\$ 51.25
PC110PP-1612	1"	3/4"	\$ 1.76	25	\$ 44.00
PC110PP-208	1-1/4"	1/2"	\$ 4.77	25	\$ 119.25
PC110PP-2012	1-1/4"	3/4"	\$ 4.09	25	\$ 102.25
PC110PP-2016	1-1/4"	1"	\$ 4.09	25	\$ 102.25
PC110PP-248	1-1/2"	1/2"	\$ 6.55	25	\$ 163.75
PC110PP-2412	1-1/2"	3/4"	\$ 4.15	25	\$ 103.75
PC110PP-2416	1-1/2"	1"	\$ 4.15	25	\$ 103.75
PC110PP-2420	1-1/2"	1-1/4"	\$ 4.31	25	\$ 107.75
PC110PP-328	2"	1/2"	\$ 8.80	25	\$ 220.00
PC110PP-3212	2"	3/4"	\$ 9.47	25	\$ 236.75
PC110PP-3216	2"	1"	\$ 5.84	25	\$ 146.00
PC110PP-3220	2"	1-1/4"	\$ 4.98	25	\$ 124.50
PC110PP-3224	2"	1-1/2"	\$ 4.40	25	\$ 110.00
PC110PP-4824	3"	1-1/2"	\$ 34.24	25	\$ 856.00
PC110PP-4832	3"	2"	\$ 12.23	25	\$ 305.75

ELBOW STREET 90°



Part #	NPT M & F	List Price	QTY	Pkg Price
PC116PP-2	1/8"	\$ 2.70	25	\$ 67.50
PC116PP-4	1/4"	\$ 2.59	25	\$ 64.75
PC116PP-6	3/8"	\$ 4.64	25	\$ 116.00
PC116PP-8	1/2"	\$ 2.64	25	\$ 66.00
PC116PP-12	3/4"	\$ 4.09	25	\$ 102.25
PC116PP-16	1"	\$ 7.93	25	\$ 198.25
PC116PP-20	1-1/4"	\$ 10.89	25	\$ 272.25
PC116PP-24	1-1/2"	\$ 11.21	25	\$ 280.25
PC116PP-32	2"	\$ 12.97	25	\$ 324.25
PC116PP-48	3"	\$ 93.34	25	\$ 2,333.50

COUPLING REDUCER



Part #	NPT M	NPT F	List Price	QTY	Pkg. Price
PC119PP-42	1/4"	1/8"	\$ 4.48	25	\$ 112.00
PC119PP-64	3/8"	1/4"	\$ 4.48	25	\$ 112.00
PC119PP-86	1/2"	3/8"	\$ 4.58	25	\$ 114.50
PC119PP-126	3/4"	3/8"	\$ 4.70	25	\$ 117.50
PC119PP-128	3/4"	1/2"	\$ 4.70	25	\$ 117.50
PC119PP-1612	1"	3/4"	\$ 12.13	25	\$ 303.25
PC119PP-2416	1-1/2"	1"	\$ 20.65	25	\$ 516.25
PC119PP-2420	1-1/2"	1-1/4"	\$ 20.65	25	\$ 516.25
PC119PP-3216	2"	1"	\$ 18.33	25	\$ 458.25
PC119PP-3220	2"	1-1/4"	\$ 21.92	25	\$ 548.00
PC119PP-3224	2"	1-1/2"	\$ 18.33	25	\$ 458.25
PC119PP-4832	3"	2"	\$ 64.90	25	\$ 1,622.50

HEX HEAD PLUG



Part #	NPT M	List Price	QTY	Pkg Price
PC121PP-2	1/8"	\$ 0.47	25	\$ 11.75
PC121PP-4	1/4"	\$ 0.50	25	\$ 12.50
PC121PP-6	3/8"	\$ 0.53	25	\$ 13.25
PC121PP-8	1/2"	\$ 0.59	25	\$ 14.75
PC121PP-12	3/4"	\$ 0.65	25	\$ 16.25
PC121PP-16	1"	\$ 0.87	25	\$ 21.75
PC121PP-20	1-1/4"	\$ 2.40	25	\$ 60.00
PC121PP-24	1-1/2"	\$ 2.51	25	\$ 62.75
PC121PP-32	2"	\$ 3.30	25	\$ 82.50
PC121PP-48	3"	\$ 35.81	25	\$ 895.25

HEX NIPPLE



Part #	NPT M	List Price	QTY	Pkg Price
PC122PP-2	1/8"	\$ 0.55	25	\$ 13.75
PC122PP-4	1/4"	\$ 0.55	25	\$ 13.81
PC122PP-6	3/8"	\$ 0.57	25	\$ 14.25
PC122PP-8	1/2"	\$ 0.61	25	\$ 15.25
PC122PP-12	3/4"	\$ 0.84	25	\$ 21.00
PC122PP-16	1"	\$ 1.13	25	\$ 28.25
PC122PP-20	1-1/4"	\$ 2.37	25	\$ 59.25
PC122PP-24	1-1/2"	\$ 3.74	25	\$ 93.50
PC122PP-32	2"	\$ 5.92	25	\$ 148.00
PC122PP-48	3"	\$ 21.80	25	\$ 545.00
PC122PP-64	4"	\$ 41.80	25	\$ 1,045.00

NIPPLE REDUCER



NOTES

Part #	NPT M	NPT M	List Price	QTY	Pkg. Price
PC123PP-42	1/4"	1/8"	\$ 0.55	25	\$ 13.75
PC123PP-62	3/8"	1/8"	\$ 0.58	25	\$ 14.50
PC123PP-64	3/8"	1/4"	\$ 0.58	25	\$ 14.50
PC123PP-84	1/2"	1/4"	\$ 0.58	25	\$ 14.50
PC123PP-86	1/2"	3/8"	\$ 0.58	25	\$ 14.50
PC123PP-126	3/4"	3/8"	\$ 0.72	25	\$ 18.50
PC123PP-128	3/4"	1/2"	\$ 0.74	25	\$ 18.50
PC123PP-168	1"	1/2"	\$ 5.65	25	\$ 141.25
PC123PP-1612	1"	3/4"	\$ 5.16	25	\$ 129.00
PC123PP-2012	1-1/4"	3/4"	\$ 5.95	25	\$ 148.75
PC123PP-2016	1-1/4"	1"	\$ 5.34	25	\$ 133.50
PC123PP-2416	1-1/2"	1"	\$ 3.50	25	\$ 87.56
PC123PP-2420	1-1/2"	1-1/4"	\$ 5.69	25	\$ 142.25
PC123PP-3220	2"	1-1/4"	\$ 7.78	25	\$ 194.50
PC123PP-3224	2"	1-1/2"	\$ 6.33	25	\$ 158.25
PC123PP-4832	3"	2"	\$ 21.69	25	\$ 542.25

ELBOW STREET 45°



Part #	NPT M	NPT F	List Price	QTY	Pkg. Price
PC124PP-4	1/4"	1/4"	\$ 3.94	25	\$ 98.50
PC124PP-12	3/4"	3/4"	\$ 4.24	25	\$ 106.00
PC124PP-16	1"	1"	\$ 17.69	25	\$ 442.25
PC124PP-20	1-1/4"	1-1/4"	\$ 21.56	25	\$ 539.00
PC124PP-24	1-1/2"	1-1/2"	\$ 22.98	25	\$ 574.50
PC124PP-32	2"	2"	\$ 24.82	25	\$ 620.50
PC124PP-48	2"	2"	\$ 102.60	25	\$ 2,565.00

POLY CONN®

Master WAIRhouse®
Fluid Power Products

Features and Specifications for Nylon Pipe Fittings

Nylon fittings are generally acceptable for working pressures up to 150 PSI at normal room temperatures. At very low pressures, temperatures can approach 175°F with no degradation of the fitting's strength. Nylon has good resistance to a fairly broad range of chemicals including most agricultural chemicals, ammonium compounds, detergents, diesel fuel, ethanol, gasoline, hexane, magnesium sulfate, most sodium compounds, trichloroethylene, and zinc sulfate. Nylon fittings should not be used with acid based fertilizers, bromine, chlorine, fluorine, hydrochloric acid, sulfuric acid, or xylene. Not to be used with compressed gases.

SPECIFICATIONS

PRODUCT	OPERATING PRESSURE RANG	LIMITATION
Nylon Pipe Fitting	150 PSI	Do not use with compressed gas

FEMALE 90° ELBOW



Part #	NPT F	List Price	QTY	Pkg Price
PC100NY-8	1/2"	\$ 4.92	25	\$ 123.00
PC100NY-12	3/4"	\$ 5.54	25	\$ 138.50
PC100NY-16	1"	\$ 7.99	25	\$ 199.75
PC100NY-20	1-1/4"	\$ 10.84	25	\$ 271.00
PC100NY-24	1-1/2"	\$ 12.94	25	\$ 323.50
PC100NY-32	2"	\$ 18.92	25	\$ 473.00

FEMALE TEE



Part #	NPT F	List Price	QTY	Pkg Price
PC101NY-4	1/4"	\$ 4.92	25	\$ 123.00
PC101NY-8	1/2"	\$ 4.69	25	\$ 117.25
PC101NY-12	3/4"	\$ 6.33	25	\$ 158.25
PC101NY-16	1"	\$ 11.21	25	\$ 280.25
PC101NY-20	1-1/4"	\$ 15.39	25	\$ 384.75
PC101NY-24	1-1/2"	\$ 17.31	25	\$ 432.75
PC101NY-32	2"	\$ 23.61	25	\$ 590.25

FEMALE COUPLING



Part #	NPT F	List Price	QTY	Pkg Price
PC103NY-2	1/8"	\$ 4.44	25	\$ 111.00
PC103NY-4	1/4"	\$ 4.36	25	\$ 109.00
PC103NY-6	3/8"	\$ 4.36	25	\$ 109.00
PC103NY-8	1/2"	\$ 4.69	25	\$ 117.25
PC103NY-12	3/4"	\$ 4.69	25	\$ 117.25
PC103NY-16	1"	\$ 10.00	25	\$ 250.00
PC103NY-20	1-1/4"	\$ 12.09	25	\$ 302.25
PC103NY-24	1-1/2"	\$ 34.46	25	\$ 861.45
PC103NY-32	2"	\$ 7.51	25	\$ 187.75

CAP



Part #	NPT F	List Price	QTY	Pkg Price
PC108NY-4	1/4"	\$ 0.51	25	\$ 12.75
PC108NY-6	3/8"	\$ 0.63	25	\$ 15.75
PC108NY-8	1/2"	\$ 0.72	25	\$ 18.00
PC108NY-12	3/4"	\$ 0.80	25	\$ 20.00

HEX BUSHING



Part #	NPT M	NPT F	List Price	QTY	Pkg. Price
PC110NY-42	1/4"	1/8"	\$ 1.69	25	\$ 42.25
PC110NY-62	3/8"	1/8"	\$ 1.85	25	\$ 46.25
PC110NY-64	3/8"	1/4"	\$ 1.40	25	\$ 35.00
PC110NY-82	1/2"	1/8"	\$ 1.68	25	\$ 42.00
PC110NY-84	1/2"	1/4"	\$ 1.46	25	\$ 36.50
PC110NY-86	1/2"	3/8"	\$ 1.53	25	\$ 38.25
PC110NY-122	3/4"	1/8"	\$ 2.08	25	\$ 52.00
PC110NY-124	3/4"	1/4"	\$ 1.61	25	\$ 40.25
PC110NY-126	3/4"	3/8"	\$ 1.74	25	\$ 43.50
PC110NY-128	3/4"	1/2"	\$ 1.57	25	\$ 39.25
PC110NY-168	1"	1/2"	\$ 2.33	25	\$ 58.25
PC110NY-1612	1"	3/4"	\$ 2.22	25	\$ 55.50
PC110NY-208	1-1/4"	1/2"	\$ 5.41	25	\$ 135.25
PC110NY-2012	1-1/4"	3/4"	\$ 4.63	25	\$ 115.75
PC110NY-2016	1-1/4"	1"	\$ 4.63	25	\$ 115.75
PC110NY-248	1-1/2"	1/2"	\$ 7.28	25	\$ 182.00
PC110NY-2412	1-1/2"	3/4"	\$ 4.50	25	\$ 112.50
PC110NY-2416	1-1/2"	1"	\$ 4.71	25	\$ 117.75
PC110NY-2420	1-1/2"	1-1/4"	\$ 4.71	25	\$ 117.75
PC110NY-328	2"	1/2"	\$ 9.25	25	\$ 231.25
PC110NY-3212	2"	3/4"	\$ 9.76	25	\$ 244.00
PC110NY-3216	2"	1"	\$ 6.60	25	\$ 165.00
PC110NY-3220	2"	1-1/4"	\$ 5.45	25	\$ 136.25
PC110NY-3224	2"	1-1/2"	\$ 4.97	25	\$ 124.25
PC110NY-4832	3"	2"	\$ 12.21	25	\$ 305.25

ELBOW STREET 90°



Part #	NPT M & F	List Price	QTY	Pkg. Price
PC116NY-2	1/8"	\$ 2.78	25	\$ 69.50
PC116NY-4	1/4"	\$ 2.62	25	\$ 65.50
PC116NY-6	3/8"	\$ 3.03	25	\$ 75.75
PC116NY-8	1/2"	\$ 2.97	25	\$ 74.25
PC116NY-12	3/4"	\$ 4.27	25	\$ 106.75
PC116NY-16	1"	\$ 8.73	25	\$ 218.25
PC116NY-20	1-1/4"	\$ 11.04	25	\$ 276.00
PC116NY-24	1-1/2"	\$ 12.46	25	\$ 311.50
PC116NY-32	2"	\$ 14.30	25	\$ 357.50

COUPLING REDUCER



Part #	NPT F	NPT F	List Price	QTY	Pkg. Price
PC119NY-42	1/4"	1/8"	\$ 4.48	5	\$ 112.00
PC119NY-64	3/8"	1/4"	\$ 4.48	5	\$ 112.00
PC119NY-86	1/2"	3/8"	\$ 4.79	5	\$ 119.75
PC119NY-126	3/4"	3/8"	\$ 4.91	5	\$ 122.75
PC119NY-128	3/4"	1/2"	\$ 4.91	5	\$ 122.75

HEX HEAD PLUG



Part #	NPT M	List Price	QTY	Pkg. Price
PC121NY-2	1/8"	\$ 0.51	25	\$ 12.75
PC121NY-4	1/4"	\$ 0.61	25	\$ 15.25
PC121NY-6	3/8"	\$ 0.57	25	\$ 14.25
PC121NY-8	1/2"	\$ 0.61	25	\$ 15.25
PC121NY-12	3/4"	\$ 0.80	25	\$ 20.00
PC121NY-16	1"	\$ 0.96	25	\$ 24.00
PC121NY-20	1-1/4"	\$ 2.38	25	\$ 59.50
PC121NY-24	1-1/2"	\$ 2.97	25	\$ 74.25
PC121NY-32	2"	\$ 4.02	25	\$ 100.50

HEX NIPPLE



Part #	NPT M	List Price	QTY	Pkg. Price
PC122NY-2	1/8"	\$ 0.56	25	\$ 14.00
PC122NY-4	1/4"	\$ 0.58	25	\$ 14.50
PC122NY-6	3/8"	\$ 0.61	25	\$ 15.25
PC122NY-8	1/2"	\$ 0.65	25	\$ 16.25
PC122NY-12	3/4"	\$ 0.84	25	\$ 21.00
PC122NY-16	1"	\$ 1.40	25	\$ 35.00
PC122NY-20	1-1/4"	\$ 2.77	25	\$ 69.25
PC122NY-24	1-1/2"	\$ 4.00	25	\$ 100.00
PC122NY-32	2"	\$ 5.97	25	\$ 149.25

NIPPLE REDUCER



Part #	NPT M	NPT M	List Price	QTY	Pkg. Price
PC123NY-42	1/4"	1/8"	\$ 0.56	25	\$ 14.00
PC123NY-64	3/8"	1/4"	\$ 0.61	25	\$ 15.25
PC123NY-82	1/2"	1/8"	\$ 0.77	25	\$ 19.25
PC123NY-84	1/2"	1/4"	\$ 0.72	25	\$ 18.00
PC123NY-86	1/2"	3/8"	\$ 0.70	25	\$ 17.50
PC123NY-126	3/4"	3/8"	\$ 0.83	25	\$ 20.75
PC123NY-128	3/4"	1/2"	\$ 0.75	25	\$ 18.75
PC123NY-2016	1-1/4"	1"	\$ 3.17	25	\$ 76.75

ELBOW STREET 45°



Part #	NPT M	NPT F	List Price	QTY	Pkg. Price
PC124NY-4	1/4"	1/4"	\$ 3.94	25	\$ 98.50
PC124NY-12	3/4"	3/4"	\$ 4.16	25	\$ 104.00

Hose Material:

PV = Vinyl, PU = Polyurethane, PY = Low Density Polyethylene,
 HPY = High Density Polyethylene, N = Flexible Nylon II,
 UN = Unplasticized Nylon II, PP = Polypropylene

Compatibility Code:

G = Good. Little or no swelling, tensile, or surface change.

L = Marginal. Noticeable effects but not necessarily indicating lack of serviceability. Further testing recommended in specific application.

P = Poor or unsatisfactory. Not recommended without extensive testing.

NT = Not tested or not rated.

Ratings based on immersion tests at 73°F and should not be extrapolated to higher temperatures without appropriate caution.

Chemical	PV	PU	PY	HPY	N	UN	PP
ACIDS & BASES:							
Acetic, 50%	G	P	P	G	L	L	G
Boric	G	G	G	G	G	G	G
Carbolic (Phenol)	P	P	G	G	P	P	G
Fatty	G	G	P	G	G	G	G
Formic, 90%	G	P	G	G	P	P	G
Hydrochloric, 10%	G	G	G	G	L	L	G
Hydrochloric, 25%	G	L	G	G	P	P	G
Hydrocyanic, 50%	G	L	G	G	NT	NT	G
Hydrofluoric, 50%	L	P	G	G	P	P	G
Maleic	G	P	G	G	G	G	G
Nitric, 10%	G	P	G	G	L	L	G
Nitric, 30%	G	P	G	G	P	P	L
Oleic	L	G	L	G	G	G	G
Phosphoric, 25%	G	L	G	G	G	G	G
Sulfuric, 30%	G	L	G	G	L	L	G
Sulfuric, 70%	L	P	P	G	P	P	G
Sulfuric, 98%	P	P	P	L	P	P	G
Sulfurous, 30%	G	P	G	G	L	L	G
Tannic	G	P	G	G	G	G	G
Ammonium Hydroxide, 25%	P	G	L	G	G	G	G
Potassium Hydroxide, 25%	L	G	G	G	G	G	G
Sodium Hydroxide, 50%	G	G	G	G	G	G	G
SOLVENTS:							
Acetone	P	P	G	G	G	G	L
Benzene	P	L	P	L	G	G	P
Carbon Tetrachloride	P	L	L	L	L	L	P
Chloroform	P	P	P	P	L	L	P
Cyclohexanone	P	P	P	G	G	G	L
Dimethylformamide	P	P	L	G	NT	NT	G
Dioxane	NT	NT	P	G	G	G	L
Ethyl acetate	P	L	G	G	G	G	L
Ethyl Alcohol**	L	G	G	G	L	G	G
Ethyl ether	L	L	G	G	G	G	L
Ethylene glycol	G	G	G	G	G	G	G
Formaldehyde	G	G	G	G	G	G	G
Freon - 12	L	L	G	G	G	G	L
Methyl alcohol	L	G	G	G	L	G	G
Methylene chloride	P	P	L	L	G	G	L
Methyl ethyl ketone	P	P	G	G	G	G	L
Napthas***	P	G	P	G	G	G	L
Toluene	P	G	P	L	G	G	L
Trichlorethylene	P	P	P	G	L	L	P
Turpentine	G	G	P	G	G	G	L
Xylene	P	G	P	L	G	G	L
HYDRAULIC FLUIDS:							
Diester base grease	NT	G	P	NT	G	G	L
Petroleum base grease	G	G	L	NT	G	G	L
Phosphate ester	L	P	P	NT	G	G	G
Polyol ester	P	NT	P	NT	G	G	G
Water-glycol	G	G	G	NT	G	G	G
SAE motor oils	G	G	G	G	G	G	G
Machine oil	G	G	L	G	G	G	L
MIL-L7808 H	G	G	L	G	G	G	G
Brake fluid	NT	NT	NT	NT	NT	NT	NT

Chemical	PV	PU	PY	HPY	N	UN	PP
FUELS:							
Butane**	G	G	L	G	G	G	L
Diesel Fuel	L	G	L	G	G	G	L
Gasoline (Regular)	L	G	P	G	G	G	L
Kerosene	L	G	P	G	G	G	G
Methane (natural gas)**	G	G	L	G	G	G	G
Propane**	G	G	L	G	G	G	L
OTHER:							
Acetylene	NT	G	G	G	G	G	G
Ammonia Gas	P	G	G	G	G	G	G
Ammonium Salts	G	G	G	G	G	G	G
Amyl acetate	P	P	L	G	G	G	P
Aniline	P	P	L	G	L	L	G
Animal Oils	G	G	P	G	G	G	G
Bleach, 7%	G	P	G	G	L	L	L
Bromine	L	G	P	P	P	P	P
Butandiol	G	G	G	G	G	G	G
Calcium Salts incl chloride	G	G	G	G	G	G	G
Chlorine Gas, Dry	G	G	P	P	P	P	P
Dibutyl Phthalate	NT	P	L	G	G	G	L
Glucose	G	G	G	G	G	G	G
Glycerine	G	G	G	G	G	G	G
Hydrogen Peroxide, 10%	G	G	G	G	G	G	G
Hydrogen Peroxide, 25%	L	G	G	G	P	P	G
Hydrogen Sulfide	G	P	G	G	L	L	G
Isocyanates	NT	G	G	G	G	G	NT
Lead Salts****	G	G	G	G	G	G	G
Magnesium Salts	G	G	G	G	G	G	G
Mercury	G	G	G	G	G	G	G
Milk**	G	G	G	G	G	G	G
Mineral Oil	G	G	L	G	G	G	L
Nitrous Oxide**	G	G	L	NT	G	G	G
Oxygen**	G	G	G	G	G	G	G
Ozone, ambient	G	G	L	G	G	G	L
Paint (oil base)	L	G	L	G	G	G	G
Polyglycols	G	G	G	G	G	G	G
Potassium salts	G	G	G	G	G	G	G
Pydraul	P	P	P	NT	G	G	NT
Pyridine	P	L	G	G	L	L	G
Salt Water	G	G	G	G	G	G	G
Silver Nitrate	G	G	G	G	G	G	G
Skydrol	P	P	P	NT	G	G	NT
Soap solution (conc)	G	G	L	G	G	G	G
Sodium salts	G	G	G	G	G	G	G
Sodium thiosulphate	G	G	G	G	G	G	G
Styrene	P	G	P	P	G	G	NT
Trisodium phosphate	G	G	NT	G	G	G	G
Ucon oil	G	G	G	G	G	G	NT
Urea	G	G	G	G	G	G	G
Vegetable oils***	G	G	G	G	G	G	G
Water at 73°F	G	G	G	G	G	G	G
Water at 140°F	L	G	G	G	G	G	G
Water at 170°F	P	L	NT	P	L	G	G
Whiskey, wine	NT	G	G	G	G	G	G
Zinc chloride	G	G	G	G	G	G	G

*This chart is intended as a guide to chemical compatibility. Final selection also depends upon pressure, fluid and ambient temperatures and other variables that affect tubing service. Therefore no guarantee is expressed or implied.

** These ratings do not necessarily imply compliance with specialized codes such as NSF, FDA, AGA or UL.

*** Napthas include heptane, hexane, mineral spirits, rubber solvent and Stoddard solvent.

****Metallic salts exclude some halogenated metals, especially hypochlorites.

Now that you have your
fittings don't forget
your tubing!



Polyconn carries
Polyurethane, Nylon,
Polyethylene and many
more materials to choose
from!

Available Materials:
Composite
Plastic
Nickel Plated Brass
Stainless Steel
D.O.T. Brass

Polyconn® the one-stop shop for your
pneumatic needs.