

COMPOSITE PUSH TO CONNECT FITTINGS

EMAIL insidesales@polyconn.com

WEBSITE

www.polyconn.com

QUESTIONS

(763) 559-0388



Features and Specifications for Composite Push to Connect Fittings

Polyconn® now has a full range of custom designed composite push to connect fitting solutions for you to choose from. They can be used in a variety of applications such as industrial, robotics, machinery, mobile, and instrumentation. Polyconn® CB Composite fittings, offer a way to connect tubing quickly and easily with no need for tools. Polyconn® offers a broad rnage of composite push to connect pneumatic fittings in inch and metric sizes to compliment our established nickel plated brass push to connect fittings.

Polyconn's CB composite fittings use a stainless-steel gripping-ring to grip nylon, 95 durometer polyurethane and polyethylene turbing. The nickel plated brass componenets on the fittings help to provide corrosion resistance and assist in prolonging the life of the fitting. All the tapered threads come with preapplied thread sealant and our parallel threads come with a recessed captive o-ring.

The andvanced design of the Polyconn® push to connect fitting places more gripper teeth in the fitting that are independent of the collet. This superior method allows the collet to guide and center the tubing into the fitting teeth on connection. When the need arises to disconnect, simply depress the collet which slides down and pushes the teeth entirely out of the way, disengaging the tubing completely.


SPECIFICATIONS


TEMPERATURE RANGE	TEMPERATURE RANGE PRESSURE RANGE				
32°F - 140°F (0°C - 60°C)	0 - 150 PSI	TO -29.5" Hg			

FEATURES USES

- Collet detents fully retracting gripper teeth.
- An oval collet makes it easier to disengage tubing.
- Custom colored collets available upon request.
- Body material nickel plated brass and black PBT (Polybutylene).
- Locking ring stainless steel.
- O-Ring NBR
- Working pressure 150 PSI.
- Pre-applied thread sealant.
- Black collets for inch style.

- Industrial
- Robotics
- Machinery
- Mobile
- Instrumentation







Part #	Push-In	Stem	Stem List Price		QTY	Pkg Price	
PC44CB-11	5/32"	5/32"	\$	1.91	5	\$	9.54
PC44CB-44	1/4"	1/4"	\$	2.29	5	\$	11.46
PC44CB-55	5/16"	5/16"	\$	2.23	5	\$	11.13
PC44CB-66	3/8"	3/8"	\$	2.71	5	\$	13.54
PC44CB-88	1/2"	1/2"	\$	3.00	5	\$	14.99



Push-In		List Price	st Price QTY		Pkg Price
5/32"	\$	1.21	5	\$	6.04
1/8"	\$	1.50	5	\$	7.49
1/4"	\$	1.22	5	\$	6.08
5/16"	\$	1.22	5	\$	6.08
3/8"	\$	1.64	5	\$	8.19
1/2"	\$	1.83	5	\$	9.17
	5/32" 1/8" 1/4" 5/16" 3/8"	5/32" \$ 1/8" \$ 1/4" \$ 5/16" \$ 3/8" \$	5/32" \$ 1.21 1/8" \$ 1.50 1/4" \$ 1.22 5/16" \$ 1.22 3/8" \$ 1.64	5/32" \$ 1.21 5 1/8" \$ 1.50 5 1/4" \$ 1.22 5 5/16" \$ 1.22 5 3/8" \$ 1.64 5	5/32" \$ 1.21 5 \$ 1/8" \$ 1.50 5 \$ 1/4" \$ 1.22 5 \$ 5/16" \$ 1.22 5 \$ 3/8" \$ 1.64 5 \$



Part #	PLA	PI B	List Price		QTY	Pk	g Price
PC45CBR-411	1/4"	5/32"	\$	1.78	5	\$	8.89



Part #	Push-In	NPT M	List Price		QTY	PI	Pkg Price	
PC47CB-10	5/32"	10-32 UNF	\$	2.02	5	\$	10.08	
PC47CB-12	5/32"	1/8"	\$	2.04	5	\$	10.22	
PC47CB-14	5/32"	1/4"	\$	2.04	5	\$	10.22	
PC47CB-22	5/32"	1/4"	\$	1.89	5	\$	9.43	
PC47CB-40	1/4"	10-32 UNF	\$	2.48	5	\$	12.42	
PC47CB-42	1/4"	1/8"	\$	2.29	5	\$	11.46	
PC47CB-44	1/4"	1/4"	\$	2.43	5	\$	12.16	
PC47CB-46	1/4"	3/8"	\$	2.57	5	\$	12.87	
PC47CB-52	5/16"	1/8"	\$	2.88	5	\$	14.41	
PC47CB-54	5/16"	1/4"	\$	3.04	5	\$	15.20	
PC47CB-56	5/16"	3/8"	\$	3.04	5	\$	15.20	
PC47CB-62	3/8"	1/8"	\$	2.41	5	\$	12.05	
PC47CB-64	3/8"	1/4"	\$	2.41	5	\$	12.05	
PC47CB-66	3/8"	3/8"	\$	2.99	5	\$	14.95	
PC47CB-68	3/8"	1/2"	\$	3.78	5	\$	18.88	
PC47CB-84	1/2"	1/4"	\$	3.84	5	\$	19.18	
PC47CB-86	1/2"	3/8"	\$	3.83	5	\$	19.13	
PC47CB-88	1/2"	1/2"	\$	4.09	5	\$	20.44	



Part #	Push-In	List Price		QTY	Р	kg Price
PC59CB-1	5/32"	\$	0.61	5	\$	3.04
PC59CB-4	1/4"	\$	0.61	5	\$	3.04
PC59CB-5	5/16"	\$	0.61	5	\$	3.04
PC59CB-6	3/8"	\$	0.84	5	\$	4.21
PC59CB-8	1/2"	\$	1.12	5	\$	5.61



Servicing Your Pneumatic Needs For Over 40 Years



Part #	Push-In	- 1	List Price	QTY	PI	kg Price
PC62CB-1	5/32"	\$	0.80	5	\$	3.98
PC62CB-2	1/8"	\$	0.89	5	\$	4.44
PC62CB-4	1/4"	\$	0.98	5	\$	4.91
PC62CB-5	5/16"	\$	0.98	5	\$	4.91
PC62CB-6	3/8"	\$	1.22	5	\$	6.08
PC62CB-8	1/2"	\$	1.40	5	\$	7.02



Part #	PI-A	PI-B	List Price		QTY	Pkg Price	
PC62CBR-41	1/4"	5/32"	\$	1.17	5	\$	5.85
PC62CBR-42	1/4"	1/8"	\$	1.40	5	\$	7.02
PC62CBR-54	5/16"	1/4"	\$	1.39	5	\$	6.97
PC62CBR-64	3/8"	1/4"	\$	1.64	5	\$	8.19
PC62CBR-65	3/8"	5/16"	\$	1.78	5	\$	8.91
PC62CBR-86	1/2"	3/8"	\$	2.25	5	\$	11.23



Part #	Push-In	List Price		QTY	Pl	kg Price
PC64CB-1	5/32"	\$	1.22	5	\$	6.08
PC64CB-2	1/8"	\$	1.26	5	\$	6.32
PC64CB-4	1/4"	\$	1.08	5	\$	5.38
PC64CB-5	5/16"	\$	1.22	5	\$	6.08
PC64CB-6	3/8"	\$	1.64	5	\$	8.19
PC64CB-8	1/2"	\$	1.78	5	\$	8.89



Part #	PI-A	PI-B	List Price		QTY	Р	Pkg Price	
PC64CBR-14	5/32"	1/4"	\$	1.96	5	\$	9.82	
PC64CBR-41	1/4"	5/32"	\$	1.96	5	\$	9.82	
PC64CBR-46	1/4"	3/8"	\$	1.73	5	\$	8.66	
PC64CBR-54	5/16"	1/4"	\$	2.59	5	\$	12.96	
PC64CBR-64	3/8"	1/4"	\$	1.96	5	\$	9.82	
PC64CBR-65	3/8"	5/16"	\$	2.59	5	\$	12.96	
PC64CBR-86	1/2"	3/8"	\$	2.99	5	\$	14.97	



Part #	Push-In	List Price		QTY	Pkg Price
PC65CB-1	5/32"	\$	0.80	5	\$ 3.98
PC65CB-2	1/8"	\$	0.89	5	\$ 4.44
PC65CB-4	1/4"	\$	0.94	5	\$ 4.68
PC65CB-5	5/16"	\$	1.08	5	\$ 5.38
PC65CB-6	3/8"	\$	1.26	5	\$ 6.32
PC65CB-8	1/2"	\$	1.45	5	\$ 7.25



Part #	Push-In	NPT F	List Price		QTY	Р	Pkg Price	
PC66CB-12	5/32"	1/8"	\$	1.46	5	\$	7.28	
PC66CB-14	5/32"	1/4"	\$	1.57	5	\$	7.84	
PC66CB-20	1/8"	10-32 UNF	\$	1.49	5	\$	7.46	
PC66CB-22	1/8"	1/8"	\$	1.59	5	\$	7.95	
PC66CB-42	1/4"	1/8"	\$	1.45	5	\$	7.25	
PC66CB-44	1/4"	1/4"	\$	1.59	5	\$	7.95	
PC66CB-52	5/16"	1/8"	\$	1.94	5	\$	9.71	
PC66CB-54	5/16"	1/4"	\$	1.94	5	\$	9.71	
PC66CB-56	5/16"	3/8"	\$	2.00	5	\$	10.00	
PC66CB-64	3/8"	1/4"	\$	1.82	5	\$	9.12	
PC66CB-66	3/8"	3/8"	\$	2.01	5	\$	10.06	
PC66CB-68	3/8"	1/2"	\$	2.33	5	\$	11.63	
PC66CB-84	1/2"	1/4"	\$	3.36	5	\$	16.80	
PC66CB-86	1/2"	3/8"	\$	3.37	5	\$	16.84	



Part #	Push-In	NPT M	Li	ist Price	QTY	Р	kg Price
PC68CB-10	5/32"	10-32 UNF	\$	0.94	5	\$	4.68
PC68CB-12	5/32"	1/8"	\$	0.94	5	\$	4.68
PC68CB-14	5/32"	1/4"	\$	1.03	5	\$	5.15
PC68CB-20	1/8"	10-32 UNF	\$	0.98	5	\$	4.91
PC68CB-22	1/8"	1/8"	\$	1.03	5	\$	5.15
PC68CB-24	1/8"	1/4"	\$	1.08	5	\$	5.38
PC68CB-40	1/4"	10-32 UNF	\$	1.03	5	\$	5.15
PC68CB-42	1/4"	1/8"	\$	0.98	5	\$	4.91
PC68CB-44	1/4"	1/4"	\$	1.03	5	\$	5.15
PC68CB-46	1/4"	3/8"	\$	1.68	5	\$	8.42
PC68CB-52	5/16"	1/8"	\$	1.17	5	\$	5.85
PC68CB-54	5/16"	1/4"	\$	1.26	5	\$	6.32
PC68CB-56	5/16"	3/8"	\$	1.59	5	\$	7.95
PC68CB-62	3/8"	1/8"	\$	1.64	5	\$	8.19
PC68CB-64	3/8"	1/4"	\$	1.78	5	\$	8.89
PC68CB-66	3/8"	3/8"	\$	1.87	5	\$	9.36
PC68CB-68	3/8"	1/2"	\$	2.99	5	\$	14.97
PC68CB-84	1/2"	1/4"	\$	2.76	5	\$	13.80
PC68CB-86	1/2"	3/8"	\$	2.76	5	\$	13.80
PC68CB-88	1/2"	1/2"	\$	2.99	5	\$	14.97



Part #	Push-In	NPT M	Lis	st Price	QTY	PI	kg Price
PC68CBC-10	5/32"	10-32 UNF	\$	1.17	5	\$	5.85
PC68CBC-12	5/32"	1/8"	\$	1.22	5	\$	6.08
PC68CBC-14	5/32"	1/4"	\$	1.19	5	\$	5.94
PC68CBC-20	1/8"	10-32 UNF	\$	1.30	5	\$	6.48
PC68CBC-22	1/8"	1/8"	\$	1.03	5	\$	5.15
PC68CBC-24	1/8"	1/4"	\$	1.19	5	\$	5.94
PC68CBC-40	1/4"	10-32 UNF	\$	1.17	5	\$	5.85
PC68CBC-42	1/4"	1/8"	\$	1.17	5	\$	5.94
PC68CBC-44	1/4"	1/4"	\$	1.19	5	\$	5.99
PC68CBC-46	1/4"	3/8"	\$	1.95	5	\$	9.73
PC68CBC-52	5/16"	1/8"	\$	1.19	5	\$	5.94
PC68CBC-54	5/16"	1/4"	\$	1.19	5	\$	5.94
PC68CBC-56	5/16"	3/8"	\$	1.95	5	\$	9.73
PC68CBC-64	3/8"	1/4"	\$	2.00	5	\$	9.99
PC68CBC-66	3/8"	3/8"	\$	2.00	5	\$	9.99
PC68CBC-84	1/2"	1/4"	\$	2.76	5	\$	13.80
PC68CBC-86	1/2"	3/8"	\$	3.13	5	\$	15.67
PC68CBC-88	1/2"	1/2"	\$	3.51	5	\$	17.57



Part #	Push-In	NPT M	Lis	st Price	QTY	Р	kg Price
PC69SCB-10E	5/32"	10-32 UNF	\$	1.96	5	\$	9.82
PC69SCB-12E	5/32"	1/8"	\$	1.99	5	\$	9.97
PC69SCB-14E	5/32"	1/4"	\$	1.99	5	\$	9.97
PC69SCB-24E	1/8"	1/4"	\$	2.27	5	\$	11.35
PC69SCB-40E	1/4"	10-32 UNF	\$	1.75	5	\$	8.77
PC69SCB-42E	1/4"	1/8"	\$	2.20	5	\$	10.99
PC69SCB-44E	1/4"	1/4"	\$	2.20	5	\$	11.02
PC69SCB-46E	1/4"	3/8"	\$	2.40	5	\$	12.02
PC69SCB-52E	5/16"	1/8"	\$	2.73	5	\$	13.64
PC69SCB-54E	5/16"	1/4"	\$	2.83	5	\$	14.15
PC69SCB-56E	5/16"	3/8"	\$	2.83	5	\$	14.15
PC69SCB-62E	3/8"	1/8"	\$	2.54	5	\$	12.70
PC69SCB-64E	3/8"	1/4"	\$	2.54	5	\$	12.70
PC69SCB-66E	3/8"	3/8"	\$	2.67	5	\$	13.33
PC69SCB-68E	3/8"	1/2"	\$	3.35	5	\$	16.77
PC69SCB-84E	1/2"	1/4"	\$	5.03	5	\$	25.17
PC69SCB-86E	1/2"	3/8"	\$	5.30	5	\$	26.48
PC69SCB-88E	1/2"	1/2"	\$	5.61	5	\$	28.05



Part #	Push-In	NPT M	List Price		QTY	Pk	kg Price
PC69SCB-10	5/32"	10-32 UNF	\$	1.22	5	\$	6.08
PC69SCB-12	5/32"	1/8"	\$	1.26	5	\$	6.32
PC69SCB-14	5/32"	1/4"	\$	1.31	5	\$	6.55
PC69SCB-20	1/8"	10-32 UNF	\$	1.26	5	\$	6.32
PC69SCB-22	1/8"	1/8"	\$	1.26	5	\$	6.32
PC69SCB-24	1/8"	1/4"	\$	1.45	5	\$	7.25
PC69SCB-40	1/4"	10-32 UNF	\$	1.50	5	\$	7.49
PC69SCB-42	1/4"	1/8"	\$	1.59	5	\$	7.95
PC69SCB-44	1/4"	1/4"	\$	1.59	5	\$	7.95
PC69SCB-46	1/4"	3/8"	\$	1.78	5	\$	8.89
PC69SCB-52	5/16"	1/8"	\$	1.59	5	\$	7.95
PC69SCB-54	5/16"	1/4"	\$	1.64	5	\$	8.19
PC69SCB-56	5/16"	3/8"	\$	1.87	5	\$	9.36
PC69SCB-62	3/8"	1/8"	\$	1.92	5	\$	9.59
PC69SCB-64	3/8"	1/4"	\$	1.92	5	\$	9.59
PC69SCB-66	3/8"	3/8"	\$	1.96	5	\$	9.82
PC69SCB-68	3/8"	1/2"	\$	2.39	5	\$	11.93
PC69SCB-84	1/2"	1/4"	\$	3.37	5	\$	16.84
PC69SCB-86	1/2"	3/8"	\$	3.37	5	\$	16.84
PC69SCB-88	1/2"	1/2"	\$	3.42	5	\$	17.08



Part #	Push-In	NPT F	Lis	t Price	QTY	PI	kg Price
PC70SCB-12	5/32"	1/8"	\$	1.87	5	\$	9.36
PC70SCB-14	5/32"	1/4"	\$	1.89	5	\$	9.43
PC70SCB-22	1/8"	1/8"	\$	2.16	5	\$	10.81
PC70SCB-42	1/4"	1/8"	\$	2.20	5	\$	10.99
PC70SCB-44	1/4"	1/4"	\$	2.06	5	\$	10.29
PC70SCB-46	1/4"	3/8"	\$	2.71	5	\$	13.57
PC70SCB-52	5/16"	1/8"	\$	2.67	5	\$	13.36
PC70SCB-62	3/8"	1/8"	\$	1.96	5	\$	9.82
PC70SCB-64	3/8"	1/4"	\$	2.34	5	\$	11.70
PC70SCB-66	3/8"	3/8"	\$	2.43	5	\$	12.16
PC70SCB-86	1/2"	3/8"	\$	5.03	5	\$	25.17



Part #	Push-In	NPT M	List Price		QTY	Pkg Price	
PC71SCB-10	5/32"	10-32 UNF	\$	2.02	5	\$	10.08
PC71SCB-12	5/32"	1/8"	\$	1.96	5	\$	9.82
PC71SCB-14	5/32"	1/4"	\$	1.96	5	\$	9.78
PC71SCB-20	1/8"	10-32 UNF	\$	2.11	5	\$	10.53
PC71SCB-22	1/8"	1/8"	\$	2.33	5	\$	11.63
PC71SCB-40	1/4"	10-32 UNF	\$	2.29	5	\$	11.46
PC71SCB-42	1/4"	1/8"	\$	2.20	5	\$	10.99
PC71SCB-44	1/4"	1/4"	\$	2.20	5	\$	10.99
PC71SCB-46	1/4"	3/8"	\$	2.81	5	\$	14.04
PC71SCB-52	5/16"	1/8"	\$	2.86	5	\$	14.29
PC71SCB-54	5/16"	1/4"	\$	2.91	5	\$	14.55
PC71SCB-56	5/16"	3/8"	\$	3.04	5	\$	15.20
PC71SCB-62	3/8"	1/8"	\$	2.31	5	\$	11.53
PC71SCB-64	3/8"	1/4"	\$	2.39	5	\$	11.93
PC71SCB-66	3/8"	3/8"	\$	2.86	5	\$	14.29
PC71SCB-68	3/8"	1/2"	\$	3.67	5	\$	18.34
PC71SCB-84	1/2"	1/4"	\$	3.66	5	\$	18.29
PC71SCB-86	1/2"	3/8"	\$	3.83	5	\$	19.13
PC71SCB-88	1/2"	1/2"	\$	4.09	5	\$	20.44



Part #	Push-In	NPT M	Li	ist Price	QTY	Pl	kg Price
PC72SCB-10	5/32"	10-32 UNF	\$	2.02	5	\$	10.08
PC72SCB-12	5/32"	1/8"	\$	1.96	5	\$	9.78
PC72SCB-14	5/32"	1/4"	\$	2.04	5	\$	10.22
PC72SCB-20	1/8"	10-32 UNF	\$	2.11	5	\$	10.53
PC72SCB-22	1/8"	1/8"	\$	1.96	5	\$	9.82
PC72SCB-24	1/8"	1/4"	\$	2.34	5	\$	11.70
PC72SCB-40	1/4"	10-32 UNF	\$	2.27	5	\$	11.37
PC72SCB-42	1/4"	1/8"	\$	2.20	5	\$	10.99
PC72SCB-44	1/4"	1/4"	\$	2.29	5	\$	11.46
PC72SCB-46	1/4"	3/8"	\$	2.48	5	\$	12.40
PC72SCB-52	5/16"	1/8"	\$	2.99	5	\$	14.95
PC72SCB-54	5/16"	1/4"	\$	3.04	5	\$	15.20
PC72SCB-56	5/16"	3/8"	\$	3.04	5	\$	15.20
PC72SCB-62	3/8"	1/8"	\$	2.62	5	\$	13.10
PC72SCB-64	3/8"	1/4"	\$	2.48	5	\$	12.40
PC72SCB-66	3/8"	3/8"	\$	2.85	5	\$	14.27
PC72SCB-68	3/8"	1/2"	\$	3.67	5	\$	18.34
PC72SCB-84	1/2"	1/4"	\$	3.65	5	\$	18.25
PC72SCB-86	1/2"	3/8"	\$	3.65	5	\$	18.25
PC72SCB-88	1/2"	1/2"	\$	3.93	5	\$	19.65



Part #	Push-In	List Price		QTY	PI	kg Price
PC73CB-1	5/32"	\$	3.41	5	\$	17.03
PC73CB-4	1/4"	\$	3.79	5	\$	18.95
PC73CB-5	5/16"	\$	3.62	5	\$	18.08
PC73CB-6	3/8"	\$	4.70	5	\$	23.51



Part #	Pl In	PI Out	List Price		QTY	Pk	g Price
PC73CBR-41	1/4"	5/32"	\$	2.54	5	\$	12.70



Part #	Push-In	List Price		QTY	PI	kg Price
PC82CB-11	5/32"	\$	2.71	5	\$	13.57
PC82CB-22	1/8"	\$	2.62	5	\$	13.10
PC82CB-44	1/4"	\$	2.76	5	\$	13.80
PC82CB-55	5/16"	\$	3.99	5	\$	19.93
PC82CB-66	3/8"	\$	4.73	5	\$	23.63
PC82CB-88	1/2"	\$	5.43	5	\$	27.13



Part #	Push-In	NPT F	List Price		QTY	PI	kg Price
PC86CB-12	5/32"	1/8"	\$	2.03	5	\$	10.15
PC86CB-14	5/32"	1/4"	\$	2.85	5	\$	14.27
PC86CB-42	1/4"	1/8"	\$	2.76	5	\$	13.80
PC86CB-44	1/4"	1/4"	\$	3.98	5	\$	19.88
PC86CB-46	1/4"	3/8"	\$	3.46	5	\$	17.29
PC86CB-66	3/8"	3/8"	\$	6.41	5	\$	32.05
PC86CB-68	3/8"	1/2"	\$	5.64	5	\$	28.19



Part #	Push-In	List Price		QTY	Pl	kg Price
PC89SCB-11	5/32"	\$	4.06	5	\$	20.28
PC89SCB-44	1/4"	\$	5.10	5	\$	25.50
PC89SCB-55	5/16"	\$	4.79	5	\$	23.95
PC89SCB-66	3/8"	\$	7.13	5	\$	35.67
PC89SCB-88	1/2"	\$	7.72	5	\$	38.60



Part #	Stem	Push-In	List Price		List Price QTY		Pkg Price	
PC97CB-41	1/4"	5/32"	\$	1.54	5	\$	7.72	
PC97CB-42	1/4"	1/8"	\$	1.34	5	\$	6.69	
PC97CB-54	5/16"	1/4"	\$	1.55	5	\$	7.74	
PC97CB-64	3/8"	1/4"	\$	2.33	5	\$	11.63	
PC97CB-65	3/8"	5/16"	\$	1.89	5	\$	9.45	
PC97CB-86	1/2"	3/8"	\$	2.25	5	\$	11.23	




Part #	Push-In	List Price		QTY	Pk	g Price
PC102CB-1	5/32"	\$	1.94	5	\$	9.71
PC102CB-2	1/8"	\$	2.22	5	\$	11.09
PC102CB-4	1/4"	\$	2.43	5	\$	12.16
PC102CB-5	5/16"	\$	2.52	5	\$	12.59
PC102CB-6	3/8"	\$	2.85	5	\$	14.27
PC102CB-8	1/2"	\$	3.25	5	\$	16.26



Part #	Push-In	List Price		QTY	Pk	g Price
PCSC-1CB	5/32"	\$	5.89	5	\$	29.47
PCSC-2CB	1/8"	\$	6.81	5	\$	34.04
PCSC-4CB	1/4"	\$	5.85	5	\$	29.24
PCSC-5CB	5/16"	\$	6.50	5	\$	32.51
PCSC-6CB	3/8"	\$	8.84	5	\$	44.21
PCSC-8CB	1/2"	\$	10.48	5	\$	52.40



Part #	Push-In	NPT M	List Price		QTY	Pkg Price	
PCSC2-12CBR	5/32"	1/8"	\$	4.77	5	\$	23.86
PCSC2-14CBR	5/32"	1/4"	\$	4.92	5	\$	24.59
PCSC2-42CBR	1/4"	1/8"	\$	4.73	5	\$	23.63
PCSC2-44CBR	1/4"	1/4"	\$	4.77	5	\$	23.86
PCSC2-52CBR	5/16"	1/8"	\$	5.13	5	\$	25.66
PCSC2-54CBR	5/16"	1/4"	\$	5.13	5	\$	25.66
PCSC2-62CBR	3/8"	1/8"	\$	5.51	5	\$	27.56
PCSC2-64CBR	3/8"	1/4"	\$	5.15	5	\$	25.73
PCSC2-66CBR	3/8"	3/8"	\$	7.02	5	\$	35.09
PCSC2-86CBR	1/2"	3/8"	\$	7.70	5	\$	38.50
PCSC2-88CBR	1/2"	1/2"	\$	9.73	5	\$	48.66
METERED OUT							





Part #	Push-In	List Price		QTY	Pk	g Price
PCSV-11CB	5/32"	\$	5.77	2	\$	11.53
PCSV-44CB	1/4"	\$	6.03	2	\$	12.05
PCSV-55CB	5/16"	\$	6.18	2	\$	12.36
PCSV-66CB	3/8"	\$	10.08	2	\$	20.16
PCSV-88CB	1/2"	\$	11.22	2	\$	22.44

Features and Specifications for Composite Transition Push to Connect Fittings

The transition fittings will conect your inch tube to a metric thread. These fttings have a BSPT, BSPP and NPT threads. They can be used in a variety of applications such as industrial, robotics, machinery, mobile and instrumentation.

Polyconn's CB composite fittings use a stainless-steel gripping-ring to grip nylon, 95 durometer polyurethane and polyethylene tubing. The nickel plated brass components on the fittings help to provide corrosion resistance and assist in prolonging the life of the fitting. All of the tapered threads come with preapplied thread sealant and our parallel threads come with a recessed captive o-ring.

The advanced design of the Polycon push-to-connect fitting places more gripper teeth in the fitting that are independent of the collet. This superior method allows the collet to guide and center the tubing into the fitting teeth on connection. When the need arises to disconnect, simply depress the collet which slides down and pushes the teeth entirely out of the way, disengaging the tubing completely.


SPECIFICATIONS


TEMPERATURE RANGE	PRESSURE RANGE	VACUUM RATING
32°F - 140°F (0°C - 60°C)	0 - 150 PSI	TO -29.5" Hg

FEATURES USES

- Collet detents fully retracting gripper teeth.
- An oval collet makes it easier to disengage tubing.
- Custom colored collets available upon request.
- Body material nickel plated brass and black PBT (Polybutylene).
- Locking ring stainless steel.
- O-Ring NBR
- Working pressure 150 PSI.
- Pre-applied thread sealant.

- Industrial
- Robotics
- Machinery
- Mobile
- Instrumentation







Part #	Push-In	NPT	List Price		QTY	Pkg Price	
PC68CBT-42	4 MM	1/8"	\$	1.05	5	\$	5.26
PC68CBT-44	4 MM	1/4"	\$	1.59	5	\$	7.95
PC68CBT-62	6 MM	1/8"	\$	1.12	5	\$	5.61
PC68CBT-64	6 MM	1/4"	\$	1.10	5	\$	5.52
PC68CBT-66	6 MM	3/8"	\$	1.78	5	\$	8.91
PC68CBT-82	8 MM	1/8"	\$	1.20	5	\$	6.01
PC68CBT-84	8 MM	1/4"	\$	1.40	5	\$	7.02
PC68CBT-86	8 MM	3/8"	\$	1.75	5	\$	8.77
PC68CBT-102	10 MM	1/8"	\$	1.83	5	\$	9.17
PC68CBT-104	10 MM	1/4"	\$	1.81	5	\$	9.03
PC68CBT-106	10 MM	3/8"	\$	2.15	5	\$	10.74



Part #	Push-In	BSPP	List Price		QTY	Pk	Pkg Price	
PC68CBT-12G	5/32"	1/8"	\$	1.30	5	\$	6.48	
PC68CBT-14G	5/32"	1/4"	\$	2.00	5	\$	10.00	
PC68CBT-42G	1/4"	1/8"	\$	1.57	5	\$	7.84	
PC68CBT-44G	1/4"	1/4"	\$	2.11	5	\$	10.53	
PC68CBT-46G	1/4"	3/8"	\$	2.81	5	\$	14.06	
PC68CBT-64G	3/8"	1/4"	\$	2.92	5	\$	14.60	
PC68CBT-66G	3/8"	3/8"	\$	2.92	5	\$	14.60	
PC68CBT-86G	1/2"	3/8"	\$	4.40	5	\$	21.99	



Part #	Push-In	BSPT	List Price		Γ List P		QTY	Pk	g Price
PC68CBT-22R	1/8"	1/8"	\$	1.14	5	\$	5.68		
PC68CBT-24R	1/8"	1/4"	\$	1.19	5	\$	5.94		
PC68CBT-42R	1/4"	1/8"	\$	1.22	5	\$	6.08		
PC68CBT-44R	1/4"	1/4"	\$	1.64	5	\$	8.19		
PC68CBT-46R	1/4"	3/8"	\$	2.38	5	\$	11.88		
PC68CBT-62R	3/8"	1/8"	\$	2.33	5	\$	11.63		
PC68CBT-64R	3/8"	1/4"	\$	2.67	5	\$	13.33		
PC68CBT-66R	3/8"	3/8"	\$	2.54	5	\$	12.70		



Part #	Push-In	NPT	List Price		QTY	Р	kg Price
PC69SCBT-42	4 MM	1/8"	\$	1.40	5	\$	7.02
PC69SCBT-44	4 MM	1/4"	\$	1.45	5	\$	7.25
PC69SCBT-62	6 MM	1/8"	\$	1.45	5	\$	7.25
PC69SCBT-64	6 MM	1/4"	\$	1.73	5	\$	8.66
PC69SCBT-66	6 MM	3/8"	\$	1.89	5	\$	9.43
PC69SCBT-82	8 MM	1/8"	\$	1.75	5	\$	8.77
PC69SCBT-84	8 MM	1/4"	\$	1.82	5	\$	9.12
PC69SCBT-86	8 MM	3/8"	\$	2.15	5	\$	10.74
PC69SCBT-102	10 MM	1/8"	\$	2.04	5	\$	10.22
PC69SCBT-104	10 MM	1/4"	\$	1.96	5	\$	9.78
PC69SCBT-106	10 MM	3/8"	\$	2.10	5	\$	10.48



Push-In	BSPP	List Price		QTY	PI	kg Price
5/32"	1/8"	\$	1.67	5	\$	8.37
5/32"	1/4"	\$	2.33	5	\$	11.63
1/4"	1/8"	\$	1.95	5	\$	9.73
1/4"	1/4"	\$	2.65	5	\$	13.24
1/4"	3/8"	\$	3.30	5	\$	16.49
3/8"	1/4"	\$	4.11	5	\$	20.54
3/8"	3/8"	\$	4.11	5	\$	20.54
1/2"	3/8"	\$	5.73	5	\$	28.63
	5/32" 5/32" 1/4" 1/4" 1/4" 3/8" 3/8"	5/32" 1/8" 5/32" 1/4" 1/4" 1/8" 1/4" 1/4" 1/4" 3/8" 3/8" 1/4" 3/8" 3/8"	5/32" 1/8" \$ 5/32" 1/4" \$ 1/4" 1/8" \$ 1/4" 1/4" \$ 1/4" 3/8" \$ 3/8" 1/4" \$ 3/8" 3/8" \$	5/32" 1/8" \$ 1.67 5/32" 1/4" \$ 2.33 1/4" 1/8" \$ 1.95 1/4" 1/4" \$ 2.65 1/4" 3/8" \$ 3.30 3/8" 1/4" \$ 4.11 3/8" 3/8" \$ 4.11	5/32" 1/8" \$ 1.67 5 5/32" 1/4" \$ 2.33 5 1/4" 1/8" \$ 1.95 5 1/4" 1/4" \$ 2.65 5 1/4" 3/8" \$ 3.30 5 3/8" 1/4" \$ 4.11 5 3/8" 3/8" \$ 4.11 5	5/32" 1/8" \$ 1.67 5 \$ 5/32" 1/4" \$ 2.33 5 \$ 1/4" 1/8" \$ 1.95 5 \$ 1/4" 1/4" \$ 2.65 5 \$ 1/4" 3/8" \$ 3.30 5 \$ 3/8" 1/4" \$ 4.11 5 \$ 3/8" 3/8" \$ 4.11 5 \$



Part #	Push-In	BSPT	List Price		QTY	Pkg Price	
PC69SCBT-22R	1/8"	1/8"	\$	1.46	5	\$	7.30
PC69SCBT-24R	1/8"	1/4"	\$	2.00	5	\$	10.00
PC69SCBT-42R	1/4"	1/8"	\$	1.67	5	\$	8.37
PC69SCBT-46R	1/4	3/8"	\$	2.86	5	\$	14.32
PC69SCBT-62R	3/8"	1/8"	\$	3.46	5	\$	17.29
PC69SCBT-64R	3/8"	1/4"	\$	3.56	5	\$	17.82
PC69SCBT-66R	3/8"	3/8"	\$	3.56	5	\$	17.82



Part #	Push-In	NPT	List Price		QTY	Pk	g Price
PC86CBT-104	10 MM	1/4"	\$	3.07	5	\$	15.35

Features and Specifications for Composite Metric Push to Connect Fittings

Our metric composite fittings can be used in a variety of applications such as industrial, robotics, machinery, mobile and instrumentation. Polyconn offers a broad range of metric composite push-in pneumatic fittings. The metric composite fittings, offer a way to connect tubing quickly and easily with no need for tools.

Polyconn's CB composite fittings use a stainless-steel gripping-ring to grip nylon, 95 durometer polyurethane and polyethylene tubing. The nickel plated brass components on the fittings help to provide corrosion resistance and assist in prolonging the life of the fitting. All of the tapered threads come with preapplied thread sealant and our parallel threads come with a recessed captive o-ring.

The advanced design of the Polyconn push-in fitting places more gripper teeth in the fitting that are independent of the collet. This superior method allows the collet to guide and center the tubing into the fitting teeth on connection. When the need arises to disconnect, simply depress the collet which slides down and pushes the teeth entirely out of the way, disengaging the tubing completely.


SPECIFICATIONS

TEMPERATURE RANGE	PRESSURE RANGE	VACUUM RATING
32°F - 140°F (0°C - 60°C)	0 - 150 PSI	TO -29.5" Hg

FEATURES USES

- Collet detents fully retracting gripper teeth.
- An oval collet makes it easier to disengage tubing.
- Custom colored collets available upon request.
- Body material nickel plated brass and black PBT (Polybutylene).
- Locking ring stainless steel.
- O-Ring NBR
- Working pressure 150 PSI.
- Pre-applied thread sealant.

- Industrial
- Robotics
- Machinery
- Mobile
- Instrumentation





Part #	Push-In	List Price		Pkg Price
PC45CBM-4	4 MM	\$ 1.17	5	\$ 5.85
PC45CBM-6	6 MM	\$ 1.17	5	\$ 5.85
PC45CBM-8	8 MM	\$ 1.17	5	\$ 5.85
PC45CBM-12	12 MM	\$ 2.05	5	\$ 10.22



Part #	PLA	PI B	List Price		List Price		List Price		QTY	Pk	g Price
PC45CBMR-46	4 MM	6 MM	\$	1.78	5	\$	8.89				
PC45CBMR-68	6 MM	8 MM	\$	1.68	5	\$	8.40				



Part #	Push-In	List Price		QTY	Р	kg Price
PC59CBM-4	4 MM	\$	0.56	5	\$	2.81
PC59CBM-6	6 MM	\$	0.56	5	\$	2.81
PC59CBM-8	8 MM	\$	0.66	5	\$	3.28
PC59CBM-10	10 MM	\$	0.89	5	\$	4.44
PC59CBM-12	12 MM	\$	1.03	5	\$	5.15



Part #	Push-In	L	ist Price	QTY	Р	kg Price
PC62CBM-4	4 MM	\$	0.84	5	\$	4.21
PC62CBM-6	6 MM	\$	0.89	5	\$	4.44
PC62CBM-8	8 MM	\$	1.08	5	\$	5.38
PC62CBM-10	10 MM	\$	1.36	5	\$	6.78
PC62CBM-12	12 MM	\$	1.56	5	\$	7.72
PC62CBM-16	16 MM	Ś	3.51	5	Ś	17.57



Part #	PIA	PI B	Lis	t Price	QTY	Pk	g Price
PC62CBMR-46	4 MM	6 MM	\$	0.98	5	\$	4.91
PC62CBMR-68	6 MM	8 MM	\$	1.22	5	\$	6.08
PC62CBMR-810	8 MM	10 MM	\$	1.40	5	\$	7.02



Part #	Push-In	List Price		QTY	Р	kg Price
PC64CBM-4	4 MM	\$	1.26	5	\$	6.32
PC64CBM-6	6 MM	\$	1.26	5	\$	6.32
PC64CBM-8	8 MM	\$	1.31	5	\$	6.55
PC64CBM-10	10 MM	\$	1.82	5	\$	9.12
PC64CBM-12	12 MM	\$	2.20	5	\$	10.99
PC64CBM-16	16 MM	\$	4.70	5	\$	23.51



Part #	Push-In	List Price		QTY	F	kg Price
PC65CBM-4	4 MM	\$	0.84	5	\$	4.21
PC65CBM-6	6 MM	\$	0.89	5	\$	4.44
PC65CBM-8	8 MM	\$	1.12	5	\$	5.61
PC65CBM-10	10 MM	\$	1.36	5	\$	6.78
PC65CBM-12	12 MM	\$	1.54	5	\$	7.72
PC65CBM-16	16 MM	\$	4.81	5	\$	24.07



Part #	Push-In	M Thread	List Price		List Price		QTY	Pkę	g Price
PC68CBM-04M5	4 MM	M 5	\$	0.90	5	\$	4.51		
PC68CBM-04M6	4 MM	М 6	\$	0.94	5	\$	4.68		
PC68CBM-06M5	6 MM	M 5	\$	1.10	5	\$	5.52		
PC68CBM-06M6	6 MM	М6	\$	1.23	5	\$	6.14		



Part #	Push-In	BSPP	List Price		QTY	Pkg Price	
PC68CBM-42G	4 MM	1/8"	\$	1.10	5	\$	5.50
PC68CBM-44G	4 MM	1/4"	\$	1.68	5	\$	8.40
PC68CBM-62G	6 MM	1/8"	\$	1.22	5	\$	6.08
PC68CBM-64G	6 MM	1/4"	\$	1.73	5	\$	8.66
PC68CBM-66G	6 MM	3/8"	\$	2.36	5	\$	11.79
PC68CBM-68G	6 MM	1/2"	\$	3.83	5	\$	19.13
PC68CBM-82G	8 MM	1/8"	\$	1.62	5	\$	8.12
PC68CBM-84G	8 MM	1/4"	\$	1.59	5	\$	7.95
PC68CBM-86G	8 MM	3/8"	\$	2.36	5	\$	11.79
PC68CBM-88G	8 MM	1/2"	\$	4.14	5	\$	20.70
PC68CBM-102G	10 MM	1/8"	\$	2.31	5	\$	11.53
PC68CBM-104G	10 MM	1/4"	\$	2.36	5	\$	11.79
PC68CBM-106G	10 MM	3/8"	\$	2.47	5	\$	12.33
PC68CBM-108G	10 MM	1/2"	\$	3.83	5	\$	19.13



Part #	Push-In	BSPT	List Price		QTY	Pkg Price	
PC68CBM-42R	4 MM	1/8"	\$	0.94	5	\$	4.68
PC68CBM-44R	4 MM	1/4"	\$	1.47	5	\$	7.35
PC68CBM-62R	6 MM	1/8"	\$	1.10	5	\$	5.52
PC68CBM-64R	6 MM	1/4"	\$	1.54	5	\$	7.72
PC68CBM-66R	6 MM	3/8"	\$	1.99	5	\$	9.97
PC68CBM-68R	6 MM	1/2"	\$	3.35	5	\$	16.77
PC68CBM-82R	8 MM	1/8"	\$	1.42	5	\$	7.09
PC68CBM-84R	8 MM	1/4"	\$	1.47	5	\$	7.35
PC68CBM-86R	8 MM	3/8"	\$	1.94	5	\$	9.71
PC68CBM-88R	8 MM	1/2"	\$	3.62	5	\$	18.08
PC68CBM-102R	10 MM	1/8"	\$	2.04	5	\$	10.22
PC68CBM-104R	10 MM	1/4"	\$	2.05	5	\$	10.27
PC68CBM-106R	10 MM	3/8"	\$	2.05	5	\$	10.27
PC68CBM-108R	10 MM	1/2"	\$	3.35	5	\$	16.77



Part #	Push-In	M Thread	List Price		rice QTY		kg Price
PC69SCBM-4M5	4 MM	M 5	\$	1.10	5	\$	5.50
PC69SCBM-4M6	4 MM	M 6	\$	1.10	5	\$	5.50
PC69SCBM-6M5	6 MM	M 5	\$	1.36	5	\$	6.81
PC69SCBM-6M6	6 MM	M 6	\$	1.36	5	\$	6.81



Part #	Push-In	BSPP	List Price		QTY	Pk	g Price
PC69SCBM-42G	4 MM	1/8"	\$	1.42	5	\$	7.09
PC69SCBM-44G	4 MM	1/4"	\$	1.94	5	\$	9.71
PC69SCBM-62G	6 MM	1/8"	\$	1.54	5	\$	7.72
PC69SCBM-64G	6 MM	1/4"	\$	2.11	5	\$	10.53
PC69SCBM-66G	6 MM	3/8"	\$	2.78	5	\$	13.89
PC69SCBM-68G	6 MM	1/2"	\$	4.40	5	\$	22.01
PC69SCBM-82G	8 MM	1/8"	\$	2.20	5	\$	11.02
PC69SCBM-84G	8 MM	1/4"	\$	2.31	5	\$	11.53
PC69SCBM-86G	8 MM	3/8"	\$	2.93	5	\$	14.67
PC69SCBM-88G	8 MM	1/2"	\$	4.30	5	\$	21.50
PC69SCBM-102G	10 MM	1/8"	\$	3.16	5	\$	15.79
PC69SCBM-104G	10 MM	1/4"	\$	3.31	5	\$	16.54
PC69SCBM-106G	10 MM	3/8"	\$	3.31	5	\$	16.54
PC69SCBM-108G	10 MM	1/2"	\$	4.71	5	\$	23.56



Part #	Push-In	BSPT	List Price		QTY	Pk	g Price
PC69SCBM-42R	4 MM	1/8"	\$	1.17	5	\$	5.85
PC69SCBM-44R	4 MM	1/4"	\$	1.68	5	\$	8.40
PC69SCBM-62R	6 MM	1/8"	\$	1.54	5	\$	7.72
PC69SCBM-64R	6 MM	1/4"	\$	1.75	5	\$	8.77
PC69SCBM-66R	6 MM	3/8"	\$	2.41	5	\$	12.05
PC69SCBM-68R	6 MM	1/2"	\$	3.67	5	\$	18.34
PC69SCBM-82R	8 MM	1/8"	\$	1.83	5	\$	9.17
PC69SCBM-84R	8 MM	1/4"	\$	1.86	5	\$	9.29
PC69SCBM-86R	8 MM	3/8"	\$	2.57	5	\$	12.84
PC69SCBM-88R	8 MM	1/2"	\$	3.56	5	\$	17.82
PC69SCBM-102R	10 MM	1/8"	\$	2.88	5	\$	14.41
PC69SCBM-104R	10 MM	1/4"	\$	2.86	5	\$	14.29
PC69SCBM-106R	10 MM	3/8"	\$	2.86	5	\$	14.29
PC69SCBM-108R	10 MM	1/2"	\$	4.14	5	\$	20.70



Part #	Push-In	M Thread	List Price		QTY	Pkg Price	
PC71SCBM-4M5	4 MM	M 5	\$	1.78	5	\$	8.91



Part #	Push-In	M Thread	List Price		QTY	Pk	kg Price
PC72SCBM-4M5	4 MM	M 5	\$	1.78	5	\$	8.91



Part #	Push-In	BSPT	List Price		List Price		QTY	Pk	g Price
PC72SCBM-84R	8 MM	1/4"	\$	2.48	5	\$	12.40		



Part #	Push-In	List Price		QTY	PI	kg Price
PC82CBM-44	4 MM	\$	2.43	5	\$	12.16
PC82CBM-66	6 MM	\$	2.76	5	\$	13.80
PC82CBM-88	8 MM	\$	3.18	5	\$	15.91
PC82CBM-1010	10 MM	\$	4.72	5	\$	23.58
PC82CBM-1212	12 MM	\$	5.87	5	\$	29.36



Part #	Stem	Push-In	List Price		List Price QTY		g Price	
PC97CBM-46	4 MM	6 MM	QUOTE		QUOTE 5		Q	UOTE
PC97CBM-64	6 MM	4 MM	\$	1.40	5	\$	7.02	
PC97CBM-86	8 MM	6 MM	\$	1.25	5	\$	6.27	
PC97CBM-106	10 MM	6 MM	\$	1.38	5	\$	6.92	
PC97CBM-108	10 MM	8 MM	\$	1.82	5	\$	9.12	



Part #	Push-In	List Price		QTY	F	kg Price
PCSC-4CBM	4 MM	\$	5.61	5	\$	28.05
PCSC-6CBM	6 MM	\$	5.37	5	\$	26.83
PCSC-8CBM	8 MM	\$	6.71	5	\$	33.54
PCSC-10CBM	10 MM	\$	7.81	5	\$	39.04
PCSC-12CBM	12 MM	\$	9.24	5	\$	46.20

Now that you have your Composite Push to Connect Fittings, don't forget your tubing! And check out our other lines of PTC Fittings!







Polyconn® the one-stop shop for your pneumatic needs.